

Peter Lawson & Son's List

No. IV.—*Forest Trees, Shrubs, &c.*

[*October* 1868.]

1868-69.



PETER LAWSON & SON

The Queen's Seedsmen, &c.,

EDINBURGH and LONDON.



The Nurseries—Edinburgh, viz.

Bangholm, Chancelot, Golden Acres, Lilliput, Wardie, and
Windlestrawlee.

London Address—20 BUDGE ROW, CANNON STREET, E.C.



Table of Contents.

	PAGE
CONIFEROUS SEEDLING AND TRANSPLANTED FOREST TREES	3
SEEDLING AND TRANSPLANTED FOREST TREES.....	5
FRUIT-TREE STOCKS.....	7
ORNAMENTAL TREES AND SHRUBS (<i>Coniferae</i>)	8
ORNAMENTAL TREES AND SHRUBS (not <i>Coniferous</i>)	15
FRUIT TREES.....	35
GRAPE VINES	36
ROSES	37
CULINARY PLANTS	38
MISCELLANEOUS PLANTS FOR GAME COVERT, &c.	39
ALPHABETICAL INDEX OF TREES AND SHRUBS	40
PLANTER'S TABLE	42
LIST OF CATALOGUES TO BE HAD.....	43

1868-69.

Trees and Shrubs.

The Prices are for Orders received prior to February 1869, or so long as the Plants are unsold. The higher rates indicate superior quality. Special estimates given for large quantities.

**** EXTRA SELECTED PLANTS ARE CHARGED PROPORTIONALLY HIGHER.**

Packing Materials are charged at the lowest price, and one-half invoiced value allowed for them if returned immediately after the Plants are unpacked, free of expense, in condition fit for use, and their despatch duly advised.

1° Coniferous Seedling and Transplanted Forest Trees.

	Per 1000 s. d.		Per 1000 s. d.	
BLACK AUSTRIAN PINE—		CEMBRA or SWISS STONE PINE—		Seedling and Transplanted Coniferæ
1 year seedling -----	3 6	12 to 18 inches, twice } $\pounds$ 100, 30/		
2 years seedling ----- 6/ to	7 6	transplanted -----		
1 year seedling, 1 year transplanted	10 6	18 to 24 inches transpl.,	— 42/	
2 years seedling, 1 year transplanted	17 6	4 to 5 feet, several	doz., 42/	
2 years seedling, 2 years transplanted	25 0	times transplanted		
12 to 18 inches, twice trans- planted -----	60 0	6 to 8 feet, several	each, 5/ to 10/6	
18 to 24 inches, twice } $\pounds$ 100, 35/		times transplanted		
transplanted (<i>fine</i>) }		CORSICAN PINE (<i>true</i>)—		
2 to 3 feet, grown } $\pounds$ doz., 9/ to 18/		1 year seedling -----	5 0	
singly -----		2 years seedling -----	7 6	
CEMBRA or SWISS STONE PINE—		2 years seedling, 2 years transpl. (<i>fine</i>)	40 0	
3 years seedling, 1 year bedded -----	45 0	9 to 15 inches, twice } $\pounds$ 100, 10/		
		transplanted -----		

Seedling and
Transplanted
Coniferæ

	Per 1000 s. d.		Per 1000 s. d.
CORSICAN PINE (<i>true</i>)—		SCOTS FIR, NATIVE—	
2 to 3 feet, several } £ doz., 12/ to 18/		2 to 3 feet, grown } £ 100, 50/ to 75/	
times transpl. }		singly (<i>fine</i>) -- }	
LARCH, COMMON (<i>best quality, with</i>		SILVER FIR, AMERICAN OR BALM OF	
<i>perfect leaders</i>)—		GILEAD—	
1 year seedling (<i>fine</i>) ----- 2/ to 3 0		2 years seedling, 2 years transplanted 50 0	
2 years seedling (<i>fine</i>) ----- 6/ to 9 0		12 to 18 inches trans- } £ 100, 15/	
1 year seedling, 1 year bedded ---- 12 6		planted ----- }	
1 year seedling, 1 yr. transpl. ---- 15 0		18 to 24 inches transpl. — 25/	
2 years seedling, 1 year transplanted 21 0		2 to 3 feet transpl., £ doz., 6/ to 9/	
1 year seedling, 2 years transplanted 27 6		SILVER FIR, COMMON—	
2 years seedling, 2 years } 30/ to 35 0		2 years seedling ----- 5/ to 7 6	
transplanted ----- }		3 years seedling ----- 7 6	
4 to 5 feet transplanted (<i>fine</i>) ---- 50 0		6 to 9 inches transplanted ----- 17 6	
LARCH, TYROLESE—		9 to 12 inches transplanted ----- 25 0	
1 year seedling (<i>fine</i>) ----- 2/6 to 3 6		12 to 18 inches transplanted ----- 35 0	
2 years seedling (<i>fine</i>) ----- 7/6 to 10 6		SPRUCE, NORWAY OR COMMON—	
1 year seedling, 1 year transplanted 15 0		2 years seedling ----- 2/6 to 3 6	
2 years seedling, 1 year transplanted 22 6		2 years seedling, 1 year bedded ---- 5 0	
1 year seedling, 2 years transplanted 30 0		3 years seedling, 1 year bedded ---- 7 6	
2 years seedling, 2 years } 35/ to 40 0		9 to 12 inches transplanted ----- 12 6	
transplanted ----- }		12 to 15 inches transplanted ---- 15 0	
4 to 5 feet transplanted (<i>fine</i>) ---- 50 0		15 to 18 inches transplanted ---- 17 6	
MARITIME PINE, FRENCH OR PINAS-		18 to 24 inches transplanted ---- 21 0	
TER—		3 to 6 feet ----- each, 1/ to 5/	
1 year seedling ----- 6 0		SPRUCE, BLACK AMERICAN—	
1 year seedling, 1 year transplanted 15 0		2 years seedling ----- 50 0	
9 to 15 inches transplanted ----- 21 0		12 to 15 inches trans- } £ 100, 30/	
MOUNTAIN PINE—		planted ----- }	
1 year seedling ----- 5 0		18 to 24 inches trans- } — 75/	
2 years seedling, 1 year transplanted 15 0		planted ----- }	
2 years seedling, 2 years transplanted 21 0		2 to 4 feet ----- each, 1/6 to 5/	
18 to 24 inches transplanted ---- 30 0		SPRUCE, WHITE AMERICAN—	
MUGHO PINE—		2 years seedling, 1 year transplanted 15 0	
2 years seedling ----- 10 0		18 to 24 inches transplanted ---- 50 0	
2 years seedling, 2 years transplanted 21 0		2 to 3 feet ----- each, 1/ to 1/6	
18 to 24 inches trans- } £ doz., 9/		WEYMOUTH PINE—	
planted ----- }		1 year seedling, 1 year bedded ---- 15 0	
SCOTS FIR, HAGANOE--		6 to 9 inches transplanted ----- 35 0	
1 year seedling ----- 1/ to 1 6		12 to 15 inches trans- } £ 100, 10/6	
2 years seedling ----- 2/6 to 3 6		planted ----- }	
2 years seedling, 1 year transplanted 10 6		3 to 5 feet, thrice } £ 100, 35/ to 50/	
2 years seedling, 2 years transplanted 17 6		transplanted ----- }	
SCOTS FIR, NATIVE—		YEW, COMMON—	
1 year seedling ----- 1/6 to 2 6		2 years seedling, 2 years transplanted 60 0	
2 years seedling (<i>fine</i>) ----- 3/ to 4 0		6 to 8 inches transpl. -- £ 100, 15/	
2 years seedling, 1 year transpl. (<i>fine</i>) 12 6		12 to 18 inches transpl. — 35/	
1 year seedling, 2 years trans- } 15 0		2 to 3 feet, twice } — 75/	
planted (<i>fine</i>) ----- }		transplanted ----- }	
2 years seedling, 2 years } 17/6 to 20 0		3 to 4 feet, } £ 100, 100/ to 150/	
transplanted (<i>fine</i>) ----- }		twice trans- } planted -- }	
18 to 24 inches, twice } 25/ to 30 0		4 to 5 feet (<i>fine</i>) -- each, 3/6 to 7/6	
transplanted ----- }			

2° Seedling and Transplanted Forest Trees.

See page 3 for CONIFEROUS FOREST TREES.

	Per 1000 s. d.		Per 1000 s. d.	
ACACIA, THORN—		BIRCH, COMMON—		Seedling and Transplanted Forest Trees
1 year seedling -----	5 0	3 to 4 feet transplanted -----	40 0	
2 years seedling -----	7 6	6 to 12 feet, grown singly, each, 1/ to 5/		
12 to 18 inches transplanted -----	25 0	BIRCH, WEeping—		
3 to 4 feet transplanted -----	50 0	1 year seedling -----	3/6 to 5 0	
6 to 8 feet, twice } Φ doz., 4/ to 9/		12 to 18 inches transplanted -----	25 0	
transplanted -----		18 to 24 inches transplanted -----	30 0	
Fine specimens, 8 } each, 2/6 to 7/6		3 to 4 feet transplanted -----	50 0	
to 12 feet -----		8 to 12 feet, grown singly, each, 1/6 to 5/		
ALDER, COMMON (<i>Alnus glutinosa</i>)—		BRIAR, SWEET—		
1 year seedling -----	3 6	1 year seedling -----	5 0	
12 to 18 inches transplanted -----	15 0	12 to 18 inches transplanted -----	21 0	
18 to 24 inches transplanted -----	21 0	2 to 3 feet transplanted -----	30 0	
2 to 3 feet transplanted -----	25 0	BRIAR, Dog—		
4 to 5 feet transplanted -----	35 0	1 year seedling -----	5 0	
6 to 10 feet (fine), Φ doz., 9/ to 12/		12 to 18 inches transplanted -----	21 0	
ALDER, HOARY-LEAVED (<i>Alnus incana</i>)—		2 to 3 feet transplanted -----	30 0	
1 year seedling -----	5 0	BROOM, COMMON—		
12 to 18 inches transplanted -----	25 0	1 year seedling -----	7 6	
4 to 6 feet transplanted -----	50 0	1 year seedling, 1 year transplanted	15 0	
ASH, COMMON—		BUCKTHORN, SEA—		
1 year seedling -----	3 0	12 to 18 inches transpl., Φ 100, 21/		
2 years seedling -----	5 0	2 to 3 feet transplanted -----	40/	
1 1/2 to 2 feet transplanted -----	21 0	CHESTNUT, HORSE—		
2 to 3 feet transplanted -----	25 0	1 year seedling -----	10 0	
3 to 5 feet transplanted -----	35 0	2 years seedling -----	15 0	
6 to 10 feet ----- each, 1/ to 5/		12 to 18 inches transplanted -----	21 0	
ASH, MOUNTAIN—		18 to 24 inches transplanted -----	30 0	
18 to 24 inches transplanted -----	30 0	3 to 4 feet transplanted -----	37 6	
2 to 3 feet transplanted -----	40 0	8 to 10 feet ----- each, 1/ to 5/		
4 to 6 feet transplanted -----	50 0	CHESTNUT, SPANISH—		
6 to 10 feet (fine) -- each, 1/ to 5/		1 year seedling -----	12 6	
BEECH, COMMON—		18 to 24 inches transplanted -----	40 0	
2 years seedling (fine) -----	7 6	8 to 12 feet (fine), each, 1/6 to 7/6		
12 to 18 inches transplanted -----	15 0	ELDER, COMMON—		
18 to 24 inches transplanted -----	30 0	1 year seedling -----	15 0	
2 to 3 feet transplanted -----	50 0	18 to 24 inches transplanted -----	35 0	
3 to 4 feet transplanted -----	60 0	3 to 4 feet, bushy ----- Φ 100, 30/		
4 to 5 feet transplanted -----	75 0	ELDER, SCARLET-FRUITED—		
5 to 6 feet, grown } Φ doz., 12/ to 30/		1 year seedling -----	30 0	
singly -----		2 to 3 feet ----- Φ 100, 21/		
BIRCH, COMMON—		ELDER, WHITE-FRUITED—		
1 year seedling -----	3/6 to 5 0	1 year cuttings -----	21 0	
2 years seedling -----	7 6	18 to 24 inches transplanted -----	40 0	
18 to 24 inches transplanted -----	25 0	ELM, WYCH or SCOTCH—		
2 to 3 feet transplanted -----	30 0	2 years seedling -----	5 0	

Seedling and
Transplanted
Forest Trees

	Per 1000		Per 1000
	s. d.		s. d.
ELM, WYCH or SCOTCH—		OAK, COMMON or ENGLISH (<i>Quercus pe-</i>	
18 to 24 inches transplanted	21 0	<i>dunculata</i>)—	
2 to 3 feet transplanted	25 0	2 years seedling (<i>fine</i>)	7 6
3 to 4 feet transplanted	30 0	3 years seedling (<i>fine</i>)	10 6
4 to 5 feet transplanted	50 0	18 to 24 inches, in drills (<i>very fine</i>)	15 0
8 to 15 feet (<i>fine</i>)—each, 1/6 to 5/		18 to 24 inches transplanted	25 0
ELM, ENGLISH—		2 to 3 feet transplanted	30 0
3 to 4 feet transplanted	40 0	3 to 4 feet transplanted (<i>fine</i>)	50 0
6 to 10 feet (<i>fine</i>), each, 1/6 to 10/6		5 to 10 feet (<i>fine</i>)—each, 1/ to 5/	
GEAN TREE or WILD CHERRY—		OAK, DURMAST or SESSILE (<i>Q. sessiliflora</i>)—	
See FRUIT-TREE STOCKS, page 7.		2 years seedling	10 6
HAZEL—		2 to 3 feet transplanted	40 0
1 year seedling (<i>fine</i>)	15 0	OAK, TURKEY—	
2 years seedling (<i>fine</i>)	17 6	1 year seedling	10 6
18 to 24 inches transplanted	30 0	2 years seedling (<i>fine</i>)	15 0
2 to 3 feet transplanted	35 0	18 to 24 inches transplanted	35 0
3 to 4 feet transplanted	50 0	2 to 3 feet transplanted	50 0
HOLLY, COMMON—		6 to 12 feet (<i>fine</i>)—each, 1/6 to 5/	
2 years seedling, 2 years transpl.	50 0	POPLAR, BALSAM—	
9 to 12 inches transplanted, $\pounds$ 100, 10/6		1 year cuttings	30 0
18 to 24 in., twice transpl.	35/	2 to 3 feet transplanted	42 0
2 to 3 feet, twice transpl.	75/	8 to 10 feet transplanted, $\pounds$ 100, 50/	
4 to 6 feet—each, 3/6 to 10/6		POPLAR, BLACK ITALIAN—	
HORNBEAM—		1 year cuttings	30 0
1 year seedling	5 0	2 to 3 feet transplanted	35 0
3 to 4 feet transplanted	35 0	3 to 4 feet transplanted	42 0
6 to 10 feet—each, 2/6 to 5/		4 to 5 feet transplanted, $\pounds$ 100, 10/	
LABURNUM, ENGLISH—		6 to 8 feet transplanted	25/
1 year seedling	3 6	POPLAR, LOMBARDY—	
2 years seedling	5 0	1 year cuttings	30 0
2 to 3 feet transplanted	30 0	2 to 3 feet transplanted	60 0
6 to 12 feet—each, 1/ to 5/		4 to 6 feet transplanted, $\pounds$ 100, 20/	
LABURNUM, SCOTCH—		6 to 8 feet (<i>fine</i>)—doz., 12/	
1 year seedling	3 6	8 to 12 feet, bushy—each, 1/6 to 3/6	
2 years seedling	5 0	POPLAR, ONTARIO—	
2 to 3 feet transplanted	50 0	1 year cuttings	30 0
6 to 12 feet—each, 1/ to 5/		3 to 4 feet transplanted	40 0
LIME, COMMON—		4 to 6 feet transplanted	75 0
2 to 3 feet transplanted, $\pounds$ 100, 30/		8 to 12 feet—each, 1/ to 3/	
3 to 4 feet transplanted	45/	POPLAR, WHITE EGYPTIAN—	
4 to 6 feet transplanted	65/	1 year cuttings	50 0
6 to 12 feet—each, 1/ to 7/6		4 to 6 feet— $\pounds$ 100, 20/	
MAPLE, ENGLISH—		PRIVET, COMMON—	
1 year seedling	7 6	1 year cuttings	15 0
2 to 3 feet transplanted	50 0	15 to 18 inches transplanted	17 6
MAPLE, NORWAY—		18 to 24 inches transplanted	21 0
2 years seedling	10 6	PRIVET, EVERGREEN—	
2 to 3 feet transplanted	40 0	1 year cuttings	15 0
4 to 6 feet transplanted, $\pounds$ 100, 10/		18 to 24 inches transplanted	25 0
8 to 10 feet transpl. —each, 1/ to 3/6		3 feet transplanted (<i>fine</i>)	35 0
OAK, COMMON or ENGLISH (<i>Quercus pe-</i>		PRIVET, BOX-LEAVED EVERGREEN—	
<i>dunculata</i>)—		1 year cuttings	21 0
year seedling (<i>fine</i>)	5 0	12 to 18 inches transplanted	25 0

	Per 1000		Per 1000	
	s. d.		s. d.	Seedling and Transplanted Forest Trees
PRIVET, BOX-LEAVED EVERGREEN—		WILLOW, CANE OR BASKET—		
18 to 24 inches transplanted-----	42 0	1 year cuttings-----	17 6	
SERVICE TREE—		1 year transplanted-----	25 0	
2 to 3 feet transplanted, $\pounds$ 100, 15/		WILLOW, HUNTINGDON—		
3 to 4 feet transplanted-----	25/	1 year cuttings-----	15 0	
6 to 10 feet (<i>fine</i>)-- each, 1/6 to 5/		3 to 4 feet transplanted-----	35 0	
SLOE or BLACK THORN—		4 to 6 feet transplanted-----	50 0	
1 year seedling-----	10 6	6 to 10 feet -- $\pounds$ 100, 15/ to 30/		
18 to 24 inches transplanted-----	25 0	WILLOW, NORFOLK—		
SYCAMORE or PLANE—		1 year cuttings-----	15 0	
1 year seedling (<i>fine</i>)-----	5 0	3 to 4 feet transplanted-----	35 0	
18 to 24 inches transplanted-----	21 0	4 to 6 feet transplanted-----	50 0	
2 to 3 feet transplanted-----	30 0	8 feet, twice transplanted, $\pounds$ 100, 15/		
3 to 4 feet transplanted-----	35 0	WILLOW, COMMON OSIER—		
5 to 6 feet trans- } $\pounds$ 100, 15/		1 year cuttings-----	15 0	
planted-----		1 year transplanted-----	21 0	
6 to 12 feet (<i>fine</i>), each, 1/6 to 7/6		WILLOW, DUTCH OR RED OSIER—		
THORN or QUICK—		1 year cuttings-----	15 0	
1 year seedling-----	2/6 to 3 6	1 year transplanted-----	25 0	
2 years seedling-----	5/ to 7 6	WILLOW, YELLOW OSIER—		
15 to 18 inches transplanted-----	12 6	1 year cuttings-----	17 6	
18 to 24 inches transplanted-----	15 0	1 year transplanted-----	25 0	
24 to 36 inches transplanted-----	21 0	WILLOW, PALM (<i>Salix caprea</i>)—		
3 to 4 feet transplanted-----	30 0	1 year cuttings-----	25 0	
6 to 12 feet ---- each, 1/6 to 10/6		3 to 4 feet transplanted-----	45 0	
WALNUT—		4 to 6 feet transplanted-----	75 0	
1 year seedling (<i>fine</i>)-----	35 0	6 to 8 feet transplanted, $\pounds$ 100, 30/		
2 to 3 feet transplanted, $\pounds$ 100, 15/		WILLOW, PACKTHREAD BASKET—		
3 to 4 feet-----	30/	1 year cuttings-----	30 0	
5 to 8 feet-----each, 1/ to 2/6		WILLOW, PURPLE BASKET—		
WHIN or GORSE—		1 year transplanted-----	35 0	
1 year seedling-----	7 6	WILLOW, RED BASKET—		
1 year seedling, 1 year transplanted	17 6	1 year cuttings-----	17 6	
WILLOW, BEDFORD—		WILLOW—		
1 year cuttings-----	15 0	various Tree Sorts, named 50/ to 105 0		
3 to 4 feet transplanted-----	30 0	various Basket Sorts, 1 year cuttings 15 0		
		ditto 1 year rooted -- 30 0		

3° Fruit-Tree Stocks.

	Per 1000		Per 1000
	s. d.		s. d.
ALMOND—		CHERRY, COMMON (<i>Cerasus vulgaris</i>)—	
1 year seedling----- $\pounds$ 100, 7/6		1 year seedling-----	21 0
2 to 3 feet transplanted-----	15/	4 to 6 feet-----	75 0
APPLE, CRAB—		CHERRY, GEAN OR WILD (<i>Cerasus</i>	
1 year seedling (<i>fine</i>)-----	5 0	<i>sylvestris</i>)—	
18 to 24 inches transplanted-----	30 0	2 years seedling-----	21 0
2 to 3 feet transplanted-----	40 0	4 to 6 feet transplanted-----	63 0
APRICOT—		CHERRY, PERFUMED OR MAHALEB	
1 year seedling----- $\pounds$ 100, 7/6		(<i>Cerasus Mahaleb</i>)—	
18 to 24 inches transpl.-----	17/6	1 year seedling-----	15 0

Seedling and
Transplanted
Forest Trees

	Per 1000	s.	d.
CHERRY, PERFUMED OR MAHALEB—			
2 to 3 feet transplanted	42	0	
3 to 4 feet transplanted, 4/100, 10/6			
6 to 8 feet — 4/ doz., 18/ to 30/			
PEACH—			
1 year seedling — 4/ 100, 10/			
15 to 18 inches transpl. — 25/			
PEAR, CRAB (<i>scarce</i>)—			
1 year seedling — 7	6		
18 to 24 inches transplanted — 40	0		
2 to 3 feet transplanted — 50	0		
3 to 4 feet transplanted — 60	0		
PLUM STOCKS, COMMON—			
1 year seedling — 21	0		

	Per 1000	s.	d.
PLUM STOCKS, COMMON—			
2 to 3 feet transpl., 4/ 100, 12/6			
MIRABELLE, 1 year } — 5/			
seedling — 7/6			
1 1/2 to 2 feet — 10/6			
MYROBALAN (<i>Prunus</i>			
<i>Myrobalana</i>), 1 yr. } — 10/6			
seedling — 12/6			
REINE CLAUDE, 1 } — 12/6			
year seedling — 12/6			
SLOE OR BLACK THORN. See page 7.			
QUINCE, COMMON—			
2 to 3 feet — 4/ 100, 12/6			
ANGERS, 18 to 24 inches — 15/			

4° Coniferous Ornamental Trees and Shrubs.

PETER LAWSON & SON'S selection of 100 Conifers, in 50 Sorts, for £5, 5s.

Do. do. 50 do. do. £3, 3s.

Coniferous
Ornamental
Trees and
Shrubs

	Each	s.	d.
ABIES, <i>Don.</i> (PICEA, <i>Link.</i>) SPRUCE—			
ALBA. See WHITE AMERICAN SPRUCE,			
page 4.			
ALBERTIANA, 6 to 9 inches — 1	6		
18 to 24 inches — 3	6		
2 to 3 feet — 5	0		
4 to 6 feet — 7/6 to 10	6		
ALCOQUIANA — 3/6 to 10	6		
BRUNONIANA — 2/6 to 10	6		
CANADENSIS, 2 to 3 } — 4/ doz., 9/			
feet, thrice } transplanted }			
microphylla — 7/6 to 10	6		
DOUGLASHII, 6 to 12 } — 4/ 100, 25/			
inches transpl. }			
12 to 18 in. transpl. — 50/			
2 to 3 feet transplanted, 2/6 to 5	0		
4 to 6 feet transplanted, 3/6 to 7	6		
ENGLEMANII — 7	6		
EXCELSA. See NORWAY SPRUCE, p. 4.			
Archangelica — 2/6 to 3	6		
Clanbrasiliana — 1/6 to 3	6		
Cranstonii — 5	0		
elegans, 9 to 12 inches — 3	6		
Findonensis, 9 to 12 inches — 2	6		
Gregoriana — 5	0		

	Each	s.	d.
ABIES, <i>Don.</i> (PICEA, <i>Link.</i>) SPRUCE—			
EXCELSA. See NORWAY SPRUCE, p. 4.			
inverta, 2 to 3 feet — 3/6 to 7	6		
monstrosa, 1 to 2 feet — 5/ to 7	6		
mucronata, 9 to 15 inches, 2/6 to 5	0		
nigra, 1 to 2 feet — 1	0		
pendula, 18 to 24 inches — 2	6		
pygmaea, 6 to 12 inches — 2/6 to 3	6		
pyramidalis, 4 to 6 inches — 1	6		
6 to 12 inches — 2	6		
rubra, 1 to 2 feet — 1	6		
stricta, 4 to 6 inches — 2/6 to 3	6		
tenuifolia, 9 to 12 inches — 3	6		
FIRMA. See PICEA BIFIDA, page 12.			
HOOKERIANA, 4 to 6 inches — 2	6		
6 to 9 inches — 3	6		
12 to 18 inches — 7	6		
JEZOENSIS — 5/ to 7	6		
MONZIESII, 12 to 18 } — 4/ doz., 9/			
inches — 18 to 24 inches — 15/			
2 to 3 feet — 21/			
3 to 4 feet — 2/6 to 3	6		
4 to 6 feet — 5/ to 10	6		
6 to 10 feet — 15/ to 42	0		
NIGRA. See BLACK AMERICAN, p. 4.			

	Each s. d.		Each s. d.	Coniferous Ornamental Trees and Shrubs
ABIES, <i>Don.</i> (PICEA, <i>Link.</i>) SPRUCE—		BIOTA, <i>Don.</i> CHINESE ARBOR VITÆ		
OBOVATA ----- 3/6 to	5 0	(see also THUJA, p. 14)—		
ORIENTALIS, 12 to 18 inches -----	2 6	ORIENTALIS globosa, 12 to	3/6 to 7 6	
18 to 24 inches -----	3 6	18 inches -----		
2 to 3 feet ----- 5/ to	7 6	glauca, 6 to 9 inches ----- 1/6 to	2 6	
PATTONIANA, 6 to 12 inches -----	3 6	gracilis, 12 to 24 inches -- 1/6 to	2 6	
12 to 18 inches ----- 5/ to	7 6	nana, 6 to 12 inches -----	1 0	
POLITA ----- 5/ to	7 6	nepalensis, 9 to 12 inches -----	1 0	
SMITHIANA. (<i>Syn.</i> —A. KHUTROW,		12 to 18 inches ----- 1/6 to	2 6	
A. MORINDA, &c.)		pyramidalis, 6 to 9 in., $\frac{1}{2}$ doz., 3/		
6 to 12 inches -- $\frac{1}{2}$ doz., 9/		1 to 2 feet -----	1 0	
12 to 18 inches -- 12/		pygmæa, 3 to 6 inches -- 2/6 to	5 0	
18 to 24 inches -----	1 6	Sieboldtii, 1 to 3 feet ----- 1/6 to	5 0	
2 to 4 feet ----- 5/ to	7 6	tortuosa ----- 1/6 to	2 6	
4 to 6 feet ----- 7/6 to	12 6	variegata aurea, 1 to 2 feet 2/6 to	7 6	
6 to 8 feet ----- 12/6 to	21 0	PENDULA, 2 to 4 feet ----- 2/6 to	10 6	
variegata -----	3 6	TARTARICA (<i>Sibirica</i>), 12 to 18 in.	1 0	
ARAUCARIA, <i>Forst.</i> —		18 to 24 inches -----	2 6	
BIDWILLII, 9 to 15 inches -- 15/ to	21 0	2 to 4 feet ----- 3/6 to	7 6	
BRASILIENSIS, 15 to 24 inches, 3/6 to	7 6	CALLITRIS (<i>Vent.</i>) QUADRIVALVIS 1/6 to	3 6	
COOKII, 12 to 24 inches -- 10/6 to	21 0	CEDRUS, <i>Link.</i> CEDAR—		
CUNNINGHAMII, 1 to 3 feet, 10/6 to	42 0	ATLANTICA, 1 year } $\frac{1}{2}$ 100, 7/6		
EXCELSA, 1 to 3 feet ----- 10/6 to	42 0	seedling -----		
IMBRICATA, 6 to 9 inches, $\frac{1}{2}$ doz., 12/		6 to 9 inches ----- 30/		
12 to 18 in., $\frac{1}{2}$ doz., 24/ to 36/		9 to 12 inches ----- 45/		
18 to 24 inches ----- 3/6 to	7 6	18 to 24 inches ----- 75/		
2 to 3 feet ----- 7/6 to	15 0	3 to 4 feet ----- 2/6 to	5 0	
3 to 4 feet ----- 15/ to	21 0	4 to 6 feet ----- 7/6 to	10 6	
4 to 8 feet ----- 21/ to	105 0	DEODARA, 6 to 9 inches, $\frac{1}{2}$ doz., 12/		
tenuis, 6 to 9 inches -----	7 6	12 to 18 inches -- 21/		
RUEH -----	42 0	18 to 24 inches -----	2 6	
ARTHROTAXUS, <i>Don.</i> —		3 to 4 feet ----- 5/ to	7 6	
CUPRESSOIDES ----- 3/6 to	5 0	4 to 6 feet ----- 7/6 to	15 0	
IMBRICATA ----- 3/6 to	5 0	6 to 10 feet ----- 17/6 to	42 0	
BIOTA, <i>Don.</i> CHINESE ARBOR VITÆ		crassifolia, 6 to 12 inches 3/6 to	5 0	
(see also THUJA, p. 14)—		robusta, 6 to 12 inches -----	2 6	
FORTUNII filifera ----- 3/6 to	5 0	variegata, 6 to 12 inches -----	5 0	
MELDENSIS, 4 to 6 inches -----	1 6	1 to 2 feet ----- 7/6 to	10 6	
1 to 2 feet ----- 2/6 to	5 0	viridis ----- 5/ to	10 6	
ORIENTALIS (<i>Chinese Arbor Vitæ</i>)—		LIBANI, 6 to 9 inches, $\frac{1}{2}$ doz., 9/		
6 to 9 inches -- $\frac{1}{2}$ doz., 6/		1 to 2 feet ----- 1/6 to	2 6	
12 to 18 inches -- 9/		3 to 4 feet ----- 3/6 to	5 0	
18 to 24 inches -- 12/		4 to 8 feet ----- 7/6 to	21 0	
2 to 4 feet ----- 1/6 to	2 6	CEPHALOTAXUS, <i>Sieb.</i> CHINESE YEW—		
4 to 6 feet ----- 3/6 to	5 0	DRUPACEA (<i>of Gordon</i>) ----- 1/ to	2 6	
6 to 10 feet ----- 7/6 to	21 0	FORTUNII ----- 1/6 to	3 6	
aurea elegantissima, 6 }	1/6 to 5 0	HARRINGTONII -----	1 6	
to 12 inches -----		CHAMÆCYPARIS, <i>Spach.</i> WHITE		
globosa ----- 1/ to	7 6	CEDAR—		
conica, 6 to 12 inches ----- 2/6 to	7 6	SPHÆROIDEA (<i>Thujoideis</i>), } $\frac{1}{2}$ doz., 9/		
12 to 18 inches ----- 5/ to	10 6	9 to 12 inches }		
globosa, 6 to 12 inches ----- 1/ to	3 6	2 to 3 feet ----- 2/6 to	3 6	

Coniferous
Ornamental
Trees and
Shrubs

	Each s. d.
CHAMÆCYPARIS, Spach. WHITE	
CEDAR—	
SPHÆRODEA, 3 to 4 feet ---- 3/6 to	5 0
4 to 6 feet ---- 5/ to	7 6
atroviens, 12 to 18 inches ----	1 6
2 to 4 feet ---- 2/6 to	3 6
4 to 6 feet ---- 5/ to	7 6
glauc, 12 to 18 inches -- 2/6 to	5 0
2 to 4 feet ---- 5/ to	7 6
4 to 6 feet ---- 7/6 to	10 6
variegata, 12 to 24 inches 2/6 to	5 0
THURIFERA ---- 1/6 to	2 6
CRYPTOMERIA, Don. CHINESE	
CEDAR—	
ELEGANS, 6 to 12 inches -- 2/6 to	5 0
JAPONICA, 9 to 12 } $\mathfrak{P}$ doz., 9/	
inches ---- }	
12 to 18 inches ----	1 0
Araucarioides, 6 to 12 inches --	3 6
Lobbii, 12 to 18 inches -- 1/6 to	2 6
nana, 6 to 12 inches -- 1/ to	2 6
CUNNINGHAMIA FRAGRANTISSIMA	1 6
SINENSIS, 6 to 12 inches ---- 1/6 to	2 6
18 to 24 inches ----	5 0
CUPRESSUS, Lind. CYPRESS—	
AMBIGUA ----	1 6
BACCIFORMIS ----	2 6
BREGNONII ----	2 6
CALIFORNICA ----	2 6
CASHMERIANA, 1 to 2 feet -- 1/6 to	2 6
CHINENSIS ----	2 6
CORNEYANA, 1 to 2 feet ---- 1/6 to	3 6
EXPANSA ----	1 6
FRAGRANS, 6 to 12 in. -- $\mathfrak{P}$ doz., 6/	
12 to 18 inches -- -- 12/	
18 to 24 inches -- -- 18/	
2 to 3 feet ---- -- 30/	
FUNEBRIS, 1 to 2 feet ---- 1/6 to	2 6
GOVENIANA, 6 to 12 inches ----	1 0
3 to 4 feet ---- 2/6 to	3 6
GRACILIS ----	2 6
HUGELII ----	1 6
LAMBERTIANA ----	1 6
LAWSONIANA (true), 9 }	
to 12 inches } $\mathfrak{P}$ 100, 35/	
(from seed) ---- }	
12 to 18 inches } -- 50/	
(from seed) -- }	
18 to 24 inches ---- 1/ to	1 6
2 to 3 feet ---- 1/6 to	3 6
3 to 4 feet ---- 5/ to	7 6
5 to 6 feet ---- 7/6 to	15 0

	Each s. d.
CUPRESSUS, Lind. CYPRESS—	
LAWSONIANA argentea ---- 3/6 to	7 6
gracilis, 1 to 2 feet ---- 3/6 to	10 6
laxa, 18 to 24 inches ---- 2/6 to	3 6
nana (compacta), 6 to 12 }	
inches ---- }	2/6 to 5 0
picta argentea ---- 3/6 to	7 6
stricta, 12 to 24 inches -- 2/6 to	5 0
2 to 3 feet ---- 5/ to	7 6
variegata aurea ---- 3/6 to	7 6
LINDLEYANA (Knightiana), 1 to 2 ft.	3 6
2 to 3 feet ----	5 0
LUSITANICA, 2 to 3 feet ---- 2/6 to	5 0
MACNABIANA, 9 to 12 inches ----	1 0
12 to 18 inches ---- 1/6 to	2 6
MACROCARPA, 9 to 12 inches ----	1 6
4 to 8 feet ---- 2/6 to	10 6
NUTKAENSIS (Thujopsis borealis), }	
9 to 12 inches ---- }	1 0
12 to 18 inches ---- 1/6 to	2 6
variegata ----	5 0
RETROFRACTA ----	1 0
SEMPERVIRENS stricta, 18 to 24 }	
inches ---- }	1 0
horizontalis, 12 to }	
15 inches -- }	$\mathfrak{P}$ doz., 4/
18 to 24 inches ----	1 0
STRICTA elegans ----	1 0
TORULOSA, 6 to 12 inches ----	1 6
12 to 15 inches ---- 2/6 to	3 6
nana, 3 to 6 inches ---- 2/6 to	3 6
THUJÆFORMIS, 1 to 2 feet -- 1/ to	2 6
UHDEANA, 12 to 24 inches ----	1 6
WHITLEYANA, 1 to 2 feet -- 2/6 to	3 6
DACRYDIUM, Soland—	
COLENSE ---- 1/6 to	3 6
CUPRESSINUM, 6 to 18 inches 2/6 to	5 0
FRANKLINII ---- 1/ to	2 6
DAMMARA, Soland—	
OBTUSA, 12 to 24 inches -- 7/6 to	10 6
ORIENTALIS, 12 to 18 inches 7/6 to	10 6
FITZ-ROYA, Hook.—	
PATAGONICA, 6 to 12 inches ----	1 0
15 to 24 inches ----	1 6
2 to 3 feet ----	2 6
FRENELLA, Mirb.—	
AUSTRALIS ----	2 6
JUNIPERUS, Linn. JUNIPER—	
ATTICA ----	1 6
BEDFORDIANA, 6 to 12 inches ----	1 0
BERMUDIANA ----	1 6
CANADENSIS, 12 to 24 inches ----	1 6

	Each s. d.
JUNIPERUS, <i>Linn.</i> JUNIPER—	
CAUCASICA, 12 inches -----	1 6
CHINENSIS, 9 to 12 inches -----	1 0
12 to 18 inches ----- 1/6 to	2 6
2 to 3 feet ----- 2/6 to	5 0
3 to 4 feet ----- 5/1 to	7 6
4 to 6 feet ----- 7/6 to	10 6
COMMUNIS, 9 to 12 } $\pounds$ 100, 15/	
inches ----- }	
15 to 18 inches ----- 35/	
arborea, 6 to 9 inches ----- 12/6	
15 to 18 inches ----- 35/	
compressa ----- 2/6 to	5 0
Hibernica (<i>Irish Juniper</i>)—	
9 to 12 inches ----- $\pounds$ doz., 6/	
15 to 18 inches ----- 1 0	
2 to 4 feet ----- 1/6 to	3 6
suecica (<i>Swedish Juniper</i>)—	
6 to 12 in. } $\pounds$ doz., 6/	
24 to 30 inches ----- 9/	
2 to 4 feet ----- 1/6 to	3 6
CRACOVIA, 12 to 15 } $\pounds$ doz., 6/	
inches ----- }	
2 to 3 feet ----- 3 6	
DECUMBENS ----- 1 6	
DIOICA ----- 1 0	
DRUPACEA, 6 to 12 inches ----- 1/6 to	2 6
EXCELSA, 6 to 12 inches ----- 1 6	
12 to 18 inches ----- 2 6	
(EXCELSA of <i>Madden</i> . See <i>J. RELIGIOSA</i> of <i>Royle</i> .)	
FRAGRANS ----- 3 6	
GOSSAINTHANEAE ----- 1 0	
HISPANICA ----- 2 6	
JAPONICA nana, 6 inches ----- 1 0	
9 to 12 inches ----- 1/6 to	2 6
MARSHALLII, 6 to 12 inches, 1/6 to	2 6
OBLONGA (<i>interrupta</i>) ----- 2 6	
pendula, 18 to 30 inches ----- 3/6 to	5 0
OXYCEDRUS, 9 to 12 inches ----- 1 6	
18 to 24 inches ----- 3 6	
PHŒNICEA, 6 to 12 inches ----- 1 6	
Lycia, 6 to 9 inches ----- 1 6	
PROSTRATA, 6 to 12 inches ----- 1 0	
PSEUDO-SABINA, 6 to 12 inches ----- 1 0	
RECURVA, 6 to 12 inches ----- 1 0	
15 to 18 inches ----- 1 6	
2 to 3 feet ----- 2/6 to	3 6
3 to 4 feet ----- 3/6 to	5 0
densa, 4 to 6 inches ----- 2 6	
RELIGIOSA (<i>Royle</i>), 12 to 15 inches ----- 2 6	
18 to 24 inches ----- 3 6	

	Each s. d.
JUNIPERUS, <i>Linn.</i> JUNIPER—	
REPANDA densa ----- 2 6	
RIGIDA (<i>Lindley</i>) ----- 5/1 to	10 6
RUFESCENS, 6 to 12 inches ----- 1/6 to	3 6
SABINA, 9 to 12 inches, $\pounds$ doz., 9/	
18 to 24 inches ----- 1 6	
variegata, 4 to 6 inches ----- 1 0	
SABINOIDES, 6 to 12 inches ----- 1 6	
SCHOTTII ----- 1 6	
SMITHIANA, 6 to 12 inches ----- 1 6	
18 to 24 inches ----- 2 6	
pendula ----- 7 6	
SPHERICA, 12 to 18 inches ----- 1/6 to	2 6
glauca, 6 to 12 inches ----- 2 6	
SQUAMATA, 9 to 12 inches ----- 1 0	
18 to 24 inches ----- 2 6	
TAMARISCIFOLIA ----- 1 6	
TETRAGONA ----- 1 6	
THURIFERA ----- 1/6 to	3 6
TRIPARTITA ----- 1/6 to	2 6
VIRGINIANA (<i>Red Cedar</i>)—	
6 to 9 inches ----- $\pounds$ doz., 3/	
12 to 18 inches ----- 6/	
2 to 3 feet ----- 1 0	
3 to 4 feet ----- 1/6 to	3 6
argentea, 1 to 2 feet ----- 1/6 to	3 6
aurea ----- 1/6 to	3 6
pendula, 1 to 2 feet ----- 1/6 to	3 6
viride, 1 to 2 feet ----- 2 6	
LÆCHARDIA, <i>Archer</i> —	
MACLEAYANA ----- 2/6 to	5 0
LARIX, <i>Link.</i> LARCH—	
AMERICANA rubra ----- 2 6	
DAHURICA, 1 to 2 feet ----- 1/6 to	2 6
EUROPÆA. See LARCH, p. 4.	
pendula, 4 to 6 feet ----- 5/1 to	7 6
GRIFFITHIANA ----- 2/6 to	3 6
LEDEBOURII, 2 to 3 feet ----- 2 6	
MICROCARPA rubra ----- 2 6	
MICROPHYLLA ----- 1 6	
SIBIRICA ----- 1 6	
LIBOCEDRUS, <i>Endl.</i> —	
CHILENSIS, 12 to 24 inches, 2/6 to	3 6
3 to 5 feet ----- 5/1 to	10 6
DECURRENS ----- 2 6	
DONIANA, 4 to 6 inches ----- 2 6	
18 to 36 inches ----- 10/6 to	42 0
TETRAGONA, 9 to 18 in. ----- 10/6 to	42 0
PHYLLOCLADUS, <i>Rich.</i> —	
ASPENIFOLIA, 1 to 2 feet ----- 1/1 to	2 6
RHOMBODALIS, 1 to 2 feet ----- 1/1 to	3 6
TRICHOMANOIDES, 1 to 2 feet ----- 1/1 to	3 6

Coniferous
Ornamental
Trees and
Shrubs

Coniferous
Ornamental
Trees and
Shrubs

	Each s. d.
PICEA, Don. (ABIES, Link). SILVER FIR—	
AMABILIS (vera.), 6 to 12 in., 3/6 to 10	6
APOLLINIS, 6 to 9 inches	1 6
BALSAMEA. See BALM OF GILEAD, p. 4.	
BIFIDA (<i>Abies firma</i>)	3/6 to 10 6
BRACTEATA	3/6 to 10 6
CEPHALONICA, 4 to 6 { $\pounds$ doz., 6/	
inches	
12 to 15 inches	1 6
15 to 24 inches	3 6
2 to 6 feet	5/ to 42 0
CILICICA, 9 to 12 inches	2/6 to 3 6
FRASERII, 6 to 9 inches	1 0
12 to 18 inches	1/6 to 2 6
GRANDIS (from seed), 9 to 12 inches	5 0
24 to 30 inches	7/6 to 10 6
LASIOCARPA, 12 to 18 inches, 7/6 to 10	6
2 to 4 feet	7/6 to 42 0
MAGNIFICA, 6 to 9 inches	2/6 to 3 6
12 to 18 inches	7/6 to 10 6
NOBILIS, 6 to 12 in. (from seed) 1/6 to 3	6
12 to 18 inches	5/ to 7 6
18 to 24 in. (from seed) 7/6 to 10	6
3 to 4 feet (do.) 21/ to 63	0
12 to 18 inches (grafted) ---	3 6
NORDMANNIANA, 2 { $\pounds$ 100, 15/	
years seedling {	
1 year seedling, { — 25/	
1 yeartranspl. { doz., 4/	
4 to 6 in. (from seed) —	9/
9 to 18 inches do.	2/6 to 7 6
18 to 24 inches (grafted) 3/6 to 7	6
2 to 5 feet (fine) ---	10/6 to 63 0
NUMIDICA	5 0
PANACHAICA, 9 to 12 inches	1 0
PARSONII	2 6
PECTINATA (Common Silver Fir). See p. 4.	
pyramidalis	2/6 to 10 6
tenuifolia	2 6
PICHTA, 1 to 2 feet	2/6 to 5 0
PINDROW, 6 to 12 inches	1 6
2 to 3 feet	3/6 to 7 6
PINSAPO, 2 years seedling, $\pounds$ 100, 7/6	
4 to 6 inches	— 17/6
6 to 9 inches	doz., 6/
9 to 12 inches	— 18/
1 to 2 feet	2/6 to 7 6
3 to 5 feet (fine) ---	10/6 to 42 0
rigida	2/6 to 5 0
REGINÆ-AMALLIÆ, 9 to 12 in. 1/6 to 2	6
RELIGIOSA	2/6 to 7 6
WEBBIANA, 2 years seedling $\pounds$ doz., 6/	

	Each s. d.
PICEA, Don. (ABIES, Link). SILVER FIR—	
Species from Mount Draco, 6 {	
to 9 inches	1 6
PINUS, Linn. (True Pine)—	
ARCHASICA	1/ to 2 6
ARISTATA	3 6
AUSTRIACA. See BLACK AUSTRIAN	
PINE, page 3.	
variegata	7 6
BANKSIANA, 6 to 9 inches {	
(from seed) -----	3/6 to 5 0
BEARDSLEYII	2/6 to 10 6
BENTHAMIANA, 2 years { $\pounds$ 100, 15/	
seedling -----	
12 to 18 inches	2 6
2 to 3 feet	3/6 to 5 0
4 to 5 feet	7 6
BERMUJA, 6 to 9 inches	3 6
BRUTIA	1/6 to 2 6
BUNGEANA, 4 to 6 inches (from seed)	7 6
CALABRICA, 9 to 12 inches	2 6
CANARIENSIS	1/6 to 2 6
CEMBRA. See page 3.	
nana	5 0
Siberica	2/6 to 5 0
CONTORTA	3 6
DENSIFLORA, 6 to 12 inches	5 0
EXCELSA, 1 year seed- { $\pounds$ 100, 15/	
ling -----	
12 to 18 inches	doz., 12/
18 to 24 inches	— 18/
2 to 3 feet	2/6 to 3 6
3 to 4 feet	5 0
6 to 10 feet	10/6 to 21 0
rigida, 4 to 6 inches	5 0
FENSLEYII	2 6
FILIFOLIA	3 6
FLEXILIS	3/6 to 7 6
FREMONTIANA. See MONOPHYLLA.	
GERARDIANA, 6 to 12 inches	3 6
HALEPENSIS, 9 to 12 in., $\pounds$ 100, 25/	
HARTWEGII, 6 to 12 inches	5 0
INOPS, 1 to 2 feet	2 6
INSIGNIS, 9 to 12 inches	1 0
JEFFREYII, 6 to 9 inches	2 6
12 inches	5 0
KORAIENSIS, 9 to 18 inches	5/ to 10 6
LAMBERTIANA, 6 to 12 inches	2 6
12 to 18 inches	3/6 to 5 0
2 to 3 feet	5/ to 7 6
4 to 6 feet	10/6 to 21 0
LARICIO. See CORSICAN PINE, p. 3.	

	Each s. d.		Each s. d.	
PINUS, Linn. (True Pine)—		PINUS, Linn. (True Pine)—		Coniferous Ornamental Trees and Shrubs
LARICIO Bugotii -----	5 0	25 Sorts of MEXICAN PINES, 1 } to 3 feet, named by the } Collector, M. Roezl -- }	5/ to 21 0	
pygmæa -----	2/6 to 5 0	PODOCARPUS, Heritier—		
LEIOPHYLLA -----	2/6 to 5 0	ANDINA, 9 to 12 inches -----	1 6	
LLAVEANA -----	2/6 to 5 0	CANALICULATA, 4 inches -----	7 6	
LONGIFOLIA -----	2 6	CHILINI, 6 to 9 inches -----	1 6	
LOPHOSPERMA -----	7 6	1 to 2 feet -----	2 6	
MACROCARPA (Coulterii) -----	2/6 to 7 6	DACRYDOIDES, 1 to 2 feet -----	5 0	
MANDSHURICA -----	7 6	JAPONICA -----	1/6 to 7 6	
MARITIMA. See page 4.		elegantissima -----	7 6	
MONOPHYLLA (Fremontiana) ---	3/6 to 7 6	KORIANA -----	2 6	
MONTENUM -----	5/ to 10 6	MICROPHYLLA aurea -----	7 6	
MONTICOLA, 4 to 6 inches -----	2 6	argentea -----	10 6	
12 to 18 inches -----	3/6 to 5 0	MONTANA -----	3 6	
18 to 24 inches -----	5/ to 7 6	NEREIFOLIA -----	2 6	
2 to 3 feet -----	7/6 to 10 6	PURGENA -----	3 6	
MUGHO. See page 4.		TOTARA, 18 to 24 inches -----	2 6	
MURICATA, 6 to 9 inches -----	1 6	PRUMNOPITYS, Philipii—		
18 to 24 inches -----	2 6	ELEGANS -----	2/6 to 5 0	
MURRAYANA, 6 to 12 inches -----	3 6	PSEUDO-LARIX, Gord. GOLDEN		
OCAMPII (Devoniana), 4 to 6 inches -----	2 6	LARCH—		
PALLASIANA, 1 to 2 feet -----	1 0	KÆMPFERII -----	10/6 to 21 0	
PARVIFLORA, 4 to 6 inches ---	5/ to 7 6	RETINOSPORA, Sieb.—		
PATULA, 4 to 6 inches -----	2 6	ERICOIDES -----	1/ to 2 6	
PINASTER. See page 4.		FILIFERA -----	10 6	
PINEA, 9 to 12 inches -----	1 0	KETELEERII variegata -----	5/ to 10 6	
fragilis, 9 to 12 inches -----	3 6	LEPTOCLADA -----	2/6 to 5 0	
PONDEROSA, 4 to 6 inches -----	1 0	LYCOPODIODES -----	2/6 to 7 6	
6 to 12 inches -----	1/6 to 2 6	OBTUSA, 6 to 9 inches -----	1 0	
PUMILIO. See MOUNTAIN PINE, p. 4.		12 to 18 inches -----	2/6 to 3 6	
PYRENAICA, 6 to 12 inches -----	1 0	18 to 24 inches -----	3/6 to 7 6	
12 to 18 inches -----	2 6	aurea -----	5/ to 10 6	
2 to 3 feet -----	3 6	pygmæa -----	5 0	
RADIATA, 9 to 15 inches -----	2 6	PISIFERA, 4 to 6 inches -----	1 0	
RESINOSA, 6 to 9 inches -----	2 6	9 to 12 inches -----	1/6 to 2 6	
ROBUSTA, 4 to 6 inches -----	7 6	aurea -----	3/6 to 7 6	
SABINIANA, 6 to 12 inches -----	1 6	argentea -----	5/ to 7 6	
SEROTINA, 6 to 9 inches -----	1 6	plumosa -----	7 6	
SINENSIS, 9 to 15 inches -----	3 6	aurea -----	7 6	
STROBUS. See WEYMOUTH PINE, p. 4.		SQUARROSA -----	1 0	
alba, 1 to 2 feet -----	3 6	SALISBURIA, Smith. MAIDEN HAIR		
nana, 1 to 2 feet -----	3 6	TREE—		
SYLVESTRIS. See SCOTS FIR, p. 4.		ADANTIFOLIA, 12 to 18 inches -----	1 0	
aurea -----	10 6	2 to 4 feet -----	1/6 to 2 6	
MacIntoshiana -----	2 6	dissecta -----	3 6	
nana, 12 to 18 inches -----	10 6	variegata -----	5 0	
"DE SAGAN," 18 to 24 inches ---	1 0	laciniata -----	3 6	
TÆDA -----	2 6	macrophylla incisa -----	3 6	
TAURICA -----	1/6 to 2 6	SAXE-GOTHÆA, Lindl.—		
TUBERCULATA, 9 to 12 inches -----	1 0	CONSPICUA, 9 to 12 inches -----	1 6	
18 to 24 inches -----	2/6 to 3 6			
VERSCHAFFELTII -----	3 6			

Coniferous
Ornamental
Trees and
Shrubs

	Each s. d.
SAXE-GOTHÆA, Lindl.—	
CONSPICUA, 18 to 24 inches— 2/6 to	3 6
gracilis, 6 to 12 inches ————	1 6
SCIADOPITYS VERTICILLATA } 5/ to 10 6	
(Umbrella Pine) ————	
SEQUOIA, Endl. (Taxodium)—	
ELEGANS ————	21 0
LAWSONIANA ————	10 6
SEMPERVIRENS ———— 1/ to	2 6
WELLINGTONIA, 1 }	
year seedling, } ₤ doz., 6/	
in pots ————	
1 year seedling, }	
1 year trans- } — 9/	
planted ————	
6 to 9 inches ————	12/
12 to 18 inches ———— 1/6 to	2 6
18 to 24 inches ———— 3/6 to	5 0
2 to 3 feet ———— 5/ to	10 6
3 to 4 feet ———— 10/6 to	15 0
4 to 6 feet ———— 21/ to	42 0
6 to 8 feet ———— 42/ to	84 0
TAXODIUM, Rich DECIDUOUS CY- PRESS—	
DISTICHUM, 6 inches— ₤ doz., 6/	
TAXUS, Linn. YEW—	
ADPRESSA, 12 to 18 inches—	1 6
2 to 3 feet ———— 2/6 to	5 0
BACCATA (Common Yew.) See <i>page 4.</i>	
cheshuntensis, 6 to 12 inches --	1 6
Daviesii, 6 to 12 inches ————	1 6
Dovastonii, 6 to 12 inches ————	1 6
elegantissima, 6 to 12 } 1/6 to	3 6
inches ————	
erecta, 12 to 18 inches ————	2 6
2 to 4 feet ———— 3/6 to	5 0
ericoides ———— 2/6 to	5 0
fastigiata (Irish Yew), } ₤ doz., 6/	
6 to 12 inches—	
1 to 2 feet ———— — 9/	
3 to 4 feet ———— 1/6 to	2 6
4 to 5 feet (fine) ———— 2/6 to	3 6
5 to 6 feet (fine) ———— 5/ to	10 6
7 to 10 feet (fine) ———— 12/6 to	63 0
variegata ———— 5/ to	21 0
Foxii, 6 to 12 inches ————	1 6
fructu-luteo, 2 to 4 feet ————	3 6
glauca (Blue John), 2 to 3 feet —	2 6
Jacksonii, 6 to 12 inches ————	1 6
Nidpathensis (Nidpath Castle } Yew), 12 to 18 inches -- }	1 0

	Each s. d.
TAXUS, Linn. YEW—	
BACCATA Nidpathensis, 18 to 24 in.	2 6
2 to 4 feet ————	3 6
recurvata ———— 1/6 to	2 6
variegata argentea, 6 to 9 inches	1 6
12 to 18 inches ———— 2/6 to	3 6
aurea, 6 to 9 inches ————	2 6
12 to 18 inches ———— 3/6 to	5 0
stricta, 6 to 9 inches -- 2/6 to	15 0
Washingtoniana ————	2 6
CANADENSIS, 4 to 6 inches ————	1 0
9 to 12 inches ————	2 6
variegata ———— 2/6 to	7 6
CUSPIDATA ———— 2/6 to	7 6
KORIANA (T. Japonica), 6 to 9 }	
inches ————	1 6
12 to 18 inches ———— 2/6 to	5 0
LINDLEYANA, 2 to 4 feet— 3/6 to	7 6
THUJA, Linn. ARBOR VITÆ. See <i>BIOTA, page 9.</i>	
CRAIGANA, 2 to 3 feet ————	2 6
FALCATA ————	3 6
GIGANTEA, 9 to 12 inches— 1/ to	1 6
12 to 18 inches ———— 2/6 to	3 6
2 to 3 feet ———— 5/ to	7 6
3 to 4 feet ———— 7/6 to	10 6
4 to 6 feet ———— 10/6 to	21 0
MENZIESII (Lobii), 9 to } ₤ doz., 6/	
12 inches ————	
12 to 18 inches ———— — 9/	
18 to 24 inches ———— — 15/	
24 to 30 inches ———— — 18/	
3 to 4 feet ———— 2/6 to	3 6
4 to 6 feet ———— 5/ to	7 6
variegata ————	2 6
OCCIDENTALIS (Ameri- } <i>can Arbor Vitæ)</i> } ₤ 100, 15/	
6 to 12 inches ————	
12 to 18 inches ———— — 21/	
18 to 24 inches ———— — 30/	
2 to 3 feet ———— — 42/	
3 to 4 feet ———— — 75/	
4 to 6 feet ———— 1/ to	5 0
6 to 8 feet ———— 7/6 to	10 6
compacta, 6 to 12 inches 2/6 to	5 0
ericoides ————	21 0
variegata, 6 to 12 inches— 2/6 to	5 0
PPLICATA (Warreana), 6 } ₤ doz., 6/	
to 12 inches ————	
12 to 18 inches ———— — 9/	
18 to 24 inches ————	1 0
2 to 3 feet ————	1 6

	Each s. d.		Each s. d.
THUJA, Linn. ARBOR VITÆ. See		THUJOPSIS STANDISHII.....	10/6 to 21 0
BIOTA, page 9.		TORREYA, Arnott—	
PLICATA 3 to 4 feet	2 6	GRANDIS	5/ to 21 0
4 to 6 feet	5/ to 7 6	MYRISTICA	5/ to 10 6
PENDULA	3/6 to 7 6	NUCIFERA	3/6 to 7 6
VERVAENIANA	1/ to 2 6	TAXIFOLIA	5/ to 10 6
THUJOPSIS (Sieb.) BOREALIS. See CU-		WELLINGTONIA GIGANTEA, Lindl.	
PRESSUS NUTKAENSIS.		See SEQUOIA, page 14.	
DOLOBRATA, 6 to 12 inches ..	2/6 to 7 6	WIDDRINGTONIA, Endl.—	
variegata	3/6 to 7 6	CUPRESSOIDES	1/ to 2 6
LÆTEVIRENS	7/6 to 21 0		

Coniferous
Ornamental
Trees and
Shrubs

5° Ornamental Trees and Shrubs.

See page 8 for ORNAMENTAL CONIFERÆ.

	Each s. d.		Each s. d.
ABELIA FLORIBUNDA	1 6	ACER (Maple) NEAPOLITANUM (obtusatum)	1 6
RUPESTRIS	1 6	NEPALENSE	1 6
UNIFLORA	1 6	NIGRUM, 1 to 2 feet	1 0
ACACIA. See ROBINIA, p. 30.		OPALIFOLIUM, 2 to 4 feet	0 6
DEALBATA, 2 to 3 feet	2 6	OPALUS	1 0
LEPTOPHYLLA, 2 to 4 feet ..	2/6 to 3 6	PLATANOIDES. See NORWAY MAPLE,	
LOPHANTHA, 6 to 12 inches ..	1 0	page 6.	
2 to 3 feet	2 6	dissectum, 1 to 2 feet ..	1/6 to 2 6
ACER (Maple) CAMPESTRE. See ENGLISH		laciniatum (Eagle's)	
MAPLE, p. 6.		Claw Maple, 2 to } 1/6 to 2 6	
CAMPESTRE austriacum, 2 to }	6d. to 2 6	4 feet	
8 feet		POLYMORPHUM variegatum ..	10/6 to 21 0
lævigatum, 2 to 4 feet ..	6d. to 1 0	PSEUDO-PLATANUS. See SYCAMORE,	
variegatum, 1 to 3 feet ..	1/ to 2 6	page 7.	
COLCHICUM, 1 to 2 feet	1 6	longifolia, 2 to 4 feet	1 0
rubrum, 1 to 2 feet	1 6	purpurea, 4 to 6 feet	6d. to 1 0
CORIACEUM, 1 to 2 feet	1 6	8 to 12 feet	2/6 to 5 0
DOUGLASII, 1 to 2 feet	6d. to 1 0	variegata aurea (Corstor-	
ERIOCARPUM	1 0	phine Plane)	1/ to 3 6
HYBRIDUM	1 0	alba	1/ to 5 0
LEOPOLDII, 6 feet	5 0	nova, 2 to 4 feet	1 6
LOBELLII, 4 to 6 feet	2/6 to 5 0	RUBRUM (Coccineum), 6 }	
MACROPHYLLUM, 2 feet	1 0	to 12 inches	4/ 100, 21/
5 to 10 feet	1/6 to 5 0	1 to 2 feet	doz., 6/
MONSPESSULANUM, 2 to 4 feet ..	0 6	SACCHARINUM, 6 to }	
6 to 10 feet	1/ to 3 6	12 inches	— 3/
MURRAYANUM, 2 to 4 feet	7 6	3 to 4 feet	— 6/
NEGUNDO. See NEGUNDO FRAXI-		SPICATUM (Montanum), 3 to 5 feet	1 6
NIFOLIA, p. 27.		SPLENDENS variegata	1/6 to 5 6

Trees and
Shrubs

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
ACER (<i>Maple</i>)--		AMPELOPSIS (<i>Virginian Creeper</i>)--	
STRIATUM, 9 to 12 } $\frac{1}{2}$ doz., 21/		BIPINNATA ----- $\frac{1}{2}$ doz., 6/	0 9
inches ----- }		CORDATA -----	0 9
2 to 4 feet ----- 6d. to	1 6	hederacea ----- $\frac{1}{2}$ doz., 6/	0 9
TARTARICUM, 2 to 3 feet -----	1 6	major -----	0 9
WAGNERII laciniatum -----	5 0	QUINQUEFOLIA ----- $\frac{1}{2}$ doz., 6/	7 6
ÆSCULUS (<i>Horse Chestnut</i>)--		VEITCHII -----	7 6
CALIFORNICA -----	2 6	AMYGDALIS (<i>Almond, &c.</i>)--	
HIPPOCASTANUM. See HORSE CHEST-		COMMUNIS, 4 to 8 feet ----- 6d. to	2 6
NUT, page 5, and PAVIA,		amara -----	1 0
page 27		dulcis -----	1 0
carnea ----- 1/ to	2 6	macrocarpa -----	1 0
coccinea, 4 to 6 feet ----- 1/ to	3 6	pendula ----- 1/ to	2 6
crispa, 4 to 6 feet ----- 1/ to	2 6	INCANA -----	2 6
flore pleno alba, 5 to 7 feet 1/ to	2 6	JASPIDA ----- 1, 6 to	2 6
flore pleno rubra ----- 1/ to	2 6	NANA -----	1 0
nigra, 5 to 7 feet ----- 1/6 to	5 0	PEDUNCULATA (<i>new, from</i> }	1/6 to 2 6
præcox ----- 6d. to	1 6	Siberia) ----- }	
procera, 4 to 6 feet ----- 1/ to	2 6	PERSICA fl. pleno (<i>Double-flower-</i> }	1 6
spectabilis, 4 to 6 feet ----- 2/6 to	3 6	ing Peach) ----- }	
variegata argentea, 3 to 4 ft. 1/6 to	3 6	alba ----- 1/6 to	3 6
OHIOENSIS, 2 to 4 feet ----- 1/ to	1 6	caryophyllus -----	2 6
RUBICUNDA, 4 to 6 feet ----- 6d. to	2 6	communis -----	1 6
AILANTUS GLANDULOSA, } $\frac{1}{2}$ doz., 4/		rosea ----- 1/6 to	3 6
1 to 2 feet ----- }		PUMILA (<i>Cerasus japonica</i>) alba plena	2 6
6 to 9 feet ----- 1/6 to	3 6	rosea plena ----- 1/6 to	2 6
AKEBIA QUINATA -----	2 6	AMYGDALOPSIS LINDLEYII }	
ALATERNUS. See RHAMNUS, p. 29.		flore pleno (<i>Prunus</i> } 1/ to 3 6	
ALNUS. See ALDER, p. 5.		triloba), 2 to 5 feet }	
AMERICANA -----	2 6	ANAGYRIS FETIDA ----- 6d. to	1 0
CORDIFOLIA, 2 feet ----- 1/ to	2 6	ANDROMEDA ANGUSTIFOLIA -----	0 6
GLUTINOSA asplenifolia -----	2 6	AXILLARIS -----	0 6
aurea -----	7 6	CATESBÆA -----	1 0
imperialis ----- 1/6 to	5 0	CALICULATA -----	0 6
laciniata ----- 1/6 to	2 6	latifolia -----	0 6
oxyacanthifolia -----	1 6	nana -----	0 6
quercifolia ----- 6d. to	1 6	FASTIGIATA -----	5 0
sorbifolia -----	1 6	FLORIBUNDA ----- 1/6 to	5 0
PYRIFOLIA -----	1 6	POLIFOLIA, in 6 varieties -----	0 6
SERRULATA -----	0 6	PULVERULENTA -----	1 0
AMELANCHIER (<i>Medlar</i>)--		SPICATA -----	0 6
BOTRYAPIUM (<i>Grape Pear</i>) -----	1 0	TETRAGONA -----	1 6
FLORIBUNDA -----	1 0	ANONA TRILOBA -----	1 0
FLORIDA -----	1 0	ARALIA JAPONICA ----- 1/6 to	5 0
LABIFLORA -----	1 0	JUGLANDIFOLIA -----	10 6
SANGUINEA -----	1 0	SIEBOLDII ----- 2/6 to	21 0
SUBCORDATA -----	1 0	variegata -----	21 0
VULGARIS ----- 6d. to	1 6	SPINOSA ----- 1/6 to	5 0
AMORPHA DEALBATA -----	1 0	ARBUTUS ANDRACHNE -----	3 6
CANESCENS -----	1 0	CALIFORNICA ----- 3/6 to	5 0
FRAGRANS -----	1 0	CROOMII -----	3 6
FRUTICOSA -----	0 6	HYBRIDA ----- 2/6 to	5 0

		Each s. d.			Each s. d.	
ARBUTUS MENZIESII	2/6 to	3 6	BAMBUSA (<i>Bamboo Cane</i>)—			Ornamental Trees and Shrubs
PROCERA	3/6 to	5 0	GRACILIS (<i>Arundinaria falcata</i>)	1 6		
ROLLISONII	3/6 to	7 6	METAKE	2 6		
SERRATIFOLIA	3/6 to	7 6	variegata	1/6 to	3 6	
UNEDO	1/ to	5 0	BEECH. See page 5, and FAGUS,			
coccinea	2/6 to	5 0	page 23.			
magnifica	3/6 to	5 0	BENTHAMIA FRAGIFERA	1/ to	2 6	
ARCTOSTAPHYLOS UVA URSI	1 0	1 0	BERBERIDOPSIS CORALINA	3/6 to	10 6	
ARISTOLOCHIA ALTISSIMA	1 0	1 0	BERBERIS (<i>Barberry</i>). See MAHONIA,			
SEMPERVIRENS	1 0	1 0	page 26.			
SIPHON	1 0	6 0	ARISTATA	1/ to	1 6	
TOMENTOSA	1 0	1 0	ASIATICA		1 0	
ARISTOTELIA MACQUII	1 0	1 0	CANADENSIS, 12 to 18	} \$ 100, 25/		
fol. variegata	1 0	1 0	inches			
ARMENIACA SIBERICA (<i>Hardy</i>	2 6	6 0	CORALINA, 1 to 2 feet		1 6	
<i>Apricot from Siberia</i>)			CRATÆGINA, 1 to 2 feet		1 0	
ARTEMISIA (<i>Southernwood</i>)—			CUNATA, 12 to 18 inches		1 0	
ABROTANUM	0 6	6 0	DARWINII, 6 to 9 inches, \$ 100, 35/			
ARBORESCENS	0 9	9 0	12 to 15 inches		50/	
TOBOLSKIANUM	0 9	9 0	DULCIS, 12 to 18 inches		15/	
ARUNDO (<i>Bamboo-like grass</i>),	} 1/6 to	3 6	2 to 3 feet		25/	
CONSPICUA			EMARGINATA		2 6	
DONAX variegata	2/6 to	5 0	EMPETRIFOLIA, 9 to 15 inches		1 0	
ASH. See p. 5, and FRAXINUS, p. 23.			FISCHERII, 1 to 2 feet		1 0	
ASTER CABULICUS	1 0	1 0	HOOKERIANA, 1 to 2 feet		1 6	
ASTRAGALUS TRAGACANTHA	1 6	6 0	IBIRICA, 12 to 18 inches		1 0	
ATRAGENA ALPINA	1 0	1 0	ILICIFOLIA, 12 to 18 inches		1 0	
fl. albo	1 6	6 0	JAMIESONII, 12 to 18 inches		2 6	
AUCUBA HIMALAYACA	2/6 to	7 6	NUBERTII		1 6	
macrophylla	5/ to	10 6	SIBIRICA		1 0	
JAPONICA vera	3/6 to	10 6	SINENSIS		1 0	
femina aurea variegata	5/ to	7 6	STENOPHYLLA	1/6 to	2 6	
latimaculata	1/6 to	7 6	VULGARIS, 12 to 15	} \$ 100, 10/6		
maculata, the common va-	} 0 9	9 0	inches			
riety, 9 to 12 inches			18 to 24 inches		15/	
12 to 15 inches	1 0	1 0	3 to 4 feet		35/	
15 to 18 inches	1/ to	1 6	asperma		0 6	
1½ to 3 feet (<i>fine</i>)	2/6 to	5 0	atropurpurea		1 0	
ovata	5/ to	10 6	aurea-marginata		2 6	
pygmæa	5/ to	7 6	VULGARIS laxa		0 6	
mascula	5/ to	10 6	lutea		0 6	
bicolor	5/ to	10 6	provincialis		0 6	
maculata	5/ to	10 6	variegata		2 6	
macrophylla	5/ to	10 6	violacea		0 6	
viridis	5/ to	10 6	WALLICHIANA		1 0	
AZALEA AMÆNA, 1 to 2 feet	1/6 to	5 0	BETULA ALBA. See BIRCH, p. 5.			
PONTICA, 12 to 18 in., \$ doz., 9/			laciniata pendula	2/6 to	5 0	
18 to 24 inches	15/		urticifolia		1 0	
2 to 3 feet	24/		DAURICA		1 6	
3 to 4 feet	30/		EXCELSA		1 0	
Ghent and other varieties	1/ to	5 0	LENTA		1 0	
AZARA DENTATA	1 0	1 0	NANA		1 6	

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
BETULA NIGRA -----	0 6	CALLUNA VULGARIS (Heather or {	
PAPYRACEA -----	0 6	Ling) fl. alba præcox... }	0 9
POPULIFOLIA -----	0 6	fl. pleno -----	0 9
incisa ----- 2/6 to	5 0	Foxii -----	0 6
PUBESCENS -----	0 6	tomentosa -----	0 6
Species from Lake Atabasca -----	2 6	12 distinct varieties... 4p doz., 6/	
BIGNONIA CAPREOLATA -----	1 0	CALOPHACA WOLLGARICA -----	1 6
GRANDIFLORA -----	1 0	CALYCANTHUS (Allspice) FLORIDUS	1 0
RADICANS -----	0 9	lævigatus -----	1 0
BOX. See BUXUS.		macrophyllus -----	1 6
BRAMBLE. See RUBUS, p. 30.		CAPRIFOLIUM (Honeysuckle). See	
BROOM. See CYTISUS and SPARTIUM,		LONICERA, page 26.	
pp. 22 and 32.		AFFINIS -----	2 6
BROUSSONETIA (Paper Mulberry) }	1 0	BRACHYPODA -----	1 0
PAPYRIFERA ----- }		aureum reticulatum -----	1 0
VARIEGATA -----	5 0	DOUGLASII -----	1 0
BRYANTHUS ERECTUS -----	1 6	ETRUSCUM -----	1 0
BUDDLEA GLOBOSA -----	0 6	FLAVUM -----	1 0
LINDLEYANA -----	1 6	FLEXUOSUM -----	0 6
BUPLEURUM FRUTICOSUM -----	0 6	IMPLEXUM -----	1 0
BUXUS (Boxwood) ARBORESCENS }	1 0	MAGNEVILLÆ -----	1 6
Handsworthensis ----- }		OCCIDENTALIS -----	1 0
BALEARICA ----- 6d. to	2 6	PERFOLIATUM ----- 4p doz., 4/	
FORTUNII -----	1 0	PERICLYMENUM ----- — 4/	
JAPONICA aurea -----	2 6	Belgium -----	0 6
LONGIFOLIA ----- 6d. to	1 6	quercifolium -----	1 0
ROTUNDIFOLIA ----- 6d. to	1 6	serotinum -----	0 6
SEMPERVIRENS (Tree) } 4p doz., 4/		PUBESCENS -----	1 0
Box), 9 to 12 in. }		SEMPERVIRENS major -----	1 6
15 to 18 inches -- -- 6/		minor -----	1 6
3 to 4 feet ----- 1/ to	2 6	SHEPHERDII -----	2 6
4 to 5 feet ----- 3/6 to	5 0	SINENSE -----	2 6
angustifolia -----	1 0	CARAGANA ALTAGANA ----- 1/ to	2 6
intermedia ----- 6d. to	1 0	ARBORESCENS, 1 to 2 ft., 4p 100, 25/	
marginata aurea, 9 to } 4p doz., 4/		4 to 6 feet ----- 1/ to	2 6
12 inches ----- }		ARENARIA -----	1 0
3 to 4 feet -----	1 6	CHAMLAGU -----	1 6
4 to 5 feet ----- 1/6 to	5 0	GRACILIS pendula -----	1 6
nana (Dwarf Box for } 4p 1000, 7/6		MICROPHYLLA -----	1 6
edging) ----- }		PYGMÆA ----- 1/ to	2 6
pendula ----- 1/ to	1 6	REDOWSKII -----	1 6
rosmarinifolia ----- 1/ to	2 6	SPINOSA -----	1 0
tenuifolia ----- 6d. to	2 6	CARPINUS AMERICANA ----- 1/ to	1 6
variegata argentea -- 4p doz., 4/		BETULUS. See HORNBEAM, p. 6.	
12 to 15 inches -- -- 6/		heterophylla ----- 1/6 to	7 6
3 to 4 feet ----- 1/ to	2 6	incisa ----- 1/6 to	7 6
SINENSIS ----- 1/ to	1 6	pendula ----- 1/6 to	5 0
THYMIFOLIA -----	1 0	variegata argentea ----- 2/6 to	5 0
variegata -----	1 0	aurea ----- 2/6 to	5 0
CALLUNA VULGARIS (Heather or {	0 9	CARYA (Hickory Tree) ALBA -----	1 0
Ling) Alportii ----- }		AMARA -----	1 0
fl. alba Hammondii ----- }	0 9	AMBIGUA -----	1 0

	Each s. d.		Each s. d.	
CARYA OBCORDATA -----	0 6	CERASUS (<i>Laurel</i>) LAURO- {		Ornamental Trees and Shrubs
FORCINA -----	0 6	CERASUS (<i>Bay Lau-</i> } 4/ 100, 8/		
SULCATA -----	0 6	rel), 9 to 12 inches -----		
CASTANEA (<i>Chestnut</i>) AMERICANA, {		12 to 18 inches -----	15/	
2 to 3 feet -----	1 6	18 to 24 inches -----	21/	
CHRYSOPHYLLA -----	10/6 to 21 0	2 to 4 feet -- 4/ 100, 25/ to 50/		
SINENSIS -----	10 6	Caucasica, 1 to 4 feet -----	1/ to 2 6	
VESCA. See SPANISH CHESTNUT,		colchica, 1 to 3 feet -----	6d. to 2 6	
page 5.		falcata, 9 to 12 inches -----	1 0	
asplenifolia, 2 to 8 feet -----	1/ to 2 6	intermedia, 9 to 12 inches, 6d. to	1 0	
aurea nova -----	7 6	jeffreyi, 9 to 12 inches -----	1 0	
cochleata -----	3 6	pygmæa, 6 to 12 inches -- 6d. to	1 0	
crispa variegata -----	5 0	variegata, 6 to 12 inches -----	1 0	
Downtoniana, 2 to 4 feet -----	1 6	LUSITANICA (<i>Portugal</i>) {		
laciniata -----	3 6	Laurel), 6 to } 4/ 100, 10/6		
lucida, 2 to 6 feet -----	1/ to 3 6	9 inches -----		
maculata, 2 to 6 feet -----	1/6 to 3 6	9 to 12 inches -----	15/	
Maderiensis -----	2 6	12 to 18 in., } 4/ 100, 25/ to 35/		
prolifera, 2 to 4 feet -----	1/6 to 2 6	bushy -----		
pyramidalis, 2 to 8 } 1/6 to 5 0		18 to 24 in., } -- 40/ to 50/		
feet -----		bushy -----		
variegata, 2 to 3 feet -----	3 6	24 to 30 inches, bushy, 1/ to	1 6	
6 fruiting Sorts -----	1/6 to 2 6	3 to 4 feet, bushy -----	2/6 to 5 0	
CATALPA SYRINGÆFOLIA -----	1 0	4 to 6 feet, bushy, {		
KÆMPFERII -----	5 0	very fine for tubs, } 7/6 to 15 0		
CEANOTHUS AMERICANUS -----	1 0	&c. -----		
AZUREUS -----	1 6	Standards, 4 to 6 feet -----	5/ to 21 0	
DELIANUS -----	1 6	Azorica -----	2/6 to 5 0	
DENTATUS -----	1 6	Ormistonensis -----	1/ to 2 6	
DIVARICATUS -----	1 6	variegata -----	1/6 to 5 0	
FONTANESIANUS -----	1 6	MAHALEB. See page 7.		
HARTWEGII -----	2 6	Standards, 5 to 8 feet -----	1/6 to 5 0	
PAPILLOSUS -----	1/6 to 2 6	Weeping, 4 to 6 feet -----	3/6 to 5 0	
RIGIDUS -----	1 6	PADUS (<i>Bird Cherry</i>), 4 to 6 feet --	1 0	
THYRSIFLORUS -----	1 6	aucubæfolia, 3 to 4 feet -----	1 0	
VELUTINUS -----	1 6	bracteosa -----	1 6	
CELASTRUS NEPALENSIS -----	2 6	flore pleno -----	2 6	
SCANDENS -----	1 0	latifolia -----	2 6	
CELTIS AUSTRALIS -----	1 0	PSEUDO-CERASUS -----	1 6	
CORDATA -----	1 0	SEMPERFLORENS -----	1/6 to 3 6	
GLABRATA -----	1 0	SEROTINA (<i>Gean</i>) -----	1 0	
CEPHALANTHUS OCCIDENTALIS -----	1 0	SYLVESTRIS -----	0 6	
CERASUS (<i>Laurel</i>) BOREALIS -----	1 6	flore pleno -----	1 0	
CHAMÆCERASUS, Standards -----	2 6	VIRGINIANA, 2 to 3 feet -----	0 9	
DEPRESSA -----	2 6	VULGARIS (<i>Common Cherry</i>) -----	0 9	
GLAUCIFOLIA -----	3 6	flore pleno -----	9d. to 2 6	
ILICIFOLIA -----	2/6 to 3 6	Gallica (<i>French White</i>) -- 1/ to	3 6	
INTERMEDIA -----	1 0	Nicotinæfolia -----	1 0	
JAPONICA -----	2 6	semi-pleno -----	9d. to 2 6	
JULIANA -----	1/6 to 3 6	marasca -----	1 6	
pendula -----	2/6 to 3 6	variegata (<i>acubæfolia</i>) -----	2 6	
variegata -----	2/6 to 5 0	CERCIS (<i>Judas Tree</i>) SILIQUASTRUM --	0 6	

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
CERCIS (<i>Judas Tree</i>) SILICUASTRUM } carnea ---- } variegata ----	I 6 3 6	CLEMATIS PATENS insignis ----	5 0
CESTRUM DIURNUM ---- 1/6 to	2 6	Louisa ----	2 6
CHAMÆBATIA FOLIOSA ---- 7/6 to	10 6	fl. pleno ----	3 6
CHENOPODIUM FRUTICOSUM ----	I 0	monstrosa ----	2 6
CHIMONANTHUS FRAGRANS ---- 1/ to	2 6	Sophia ----	I 6
GRANDIFLORUS ---- 1/ to	2 6	fl. pleno ----	3 6
CHIONANTHUS VIRGINICUS ----	I 6	violacea ----	3 6
CISTUS ACUTIFOLIUS ----	I 0	PRINCE OF WALES ----	3 6
ALBIDUS ---- 4 ^p doz., 6/		PUBESCENS ----	I 0
ALGERIENSIS ----	I 0	RUBELLA ----	3 6
CANDIDISSIMUS ----	I 0	RUBRO-VIOLEACEA ----	2 6
CANESCENS ----	I 0	SHILLINGII ----	I 6
CORBORIENSIS ----	I 0	SIEBOLDTII ----	I 6
CRISPUS ----	I 0	TUBULOSA ----	I 0
CYMOSEUS ----	I 0	VITALBA ----	0 6
FORMOSUS ---- 4 ^p doz., 6/		VITICELLA ----	0 9
GLUTINOSUS ----	I 6	fl. alba ----	2 0
INCANUS ----	I 0	venosa ----	I 6
LADANIFERUS (<i>Gum Cistus</i>) ----	0 6	CLETHRA ALNIFOLIA ----	I 6
LAURIFOLIUS ----	I 0	SCABRA ----	I 6
LUSITANICUS ----	I 0	TOMENTOSA ----	I 6
MONSPELIENSIS ----	I 0	COCCALOBIA VESPERTILIONIS -- 1/ to	2 6
PLATYSEPALUS ----	I 6	COLLETIA BICTONENSE ----	2 6
POPULIFOLIUS ----	I 6	FEROX ----	I 6
ROSEUS ----	I 6	SPINOSA ----	I 0
SALVIFOLIUS ----	I 6	COLUTEA ARBORESCENS ----	I 0
UNDULATUS ---- 4 ^p doz., 6/		SANGUINEA ----	I 0
VILLOSUS ---- — 6/		COMPTONIA ASPLENIFOLIA ----	2 6
CLEMATIS AZUREA grandiflora ----	I 6	CORCHORUS JAPONICUS, 4 ^p doz., 4/	
CIRRHOSEA ----	I 6	fl. pleno ---- 4/	
CAMPANIFLORA ----	I 0	variegatus ----	I 6
CANDIDISSIMA plena ----	2 6	CORIARIA MYRTIFOLIA ----	I 0
ELLIPTICA ----	I 0	RUSCIFOLIA ----	I 0
FLAMMULA ----	0 6	SARMENTOSA ----	2 6
FLORIDA ----	I 0	CORNUS (<i>Dogwood</i>) ALBA } (<i>Red Barked</i>), 1½ } 4 ^p 100, 25/	
fl. pleno ----	I 0	to 3 feet ---- }	
Standishii ----	2 6	Siberica, 1 to 2 feet ---- doz., 6/	
FRANCOFURTENSIS ----	2 6	variegata ---- 1/6 to	3 6
FORTUNII ----	2 6	CANADENSIS, 1 to 2 feet ----	0 6
HENDERSONII ----	0 6	CIRCINATA, 2 feet ----	I 0
INSULENSIS ----	I 6	GRANDIS, 1 to 2 feet ---- 1/ to	I 6
JACKMANNII ----	2 6	florida ----	I 0
LANUGINOSA ----	I 6	MASCULA, 2 to 3 feet ---- 4 ^p 100, 35/	
candida ----	3 6	variegata, 1 to 4 feet ---- 1/ to	3 6
longipetala ----	5 0	PANICULATA, 1 to 2 feet ----	0 6
MANSHURIENSIS ----	5 0	SANGUINEA ---- 4 ^p 100, 25/	
MONTANA ----	I 0	variegata ---- 1/ to	2 6
NIVEA ----	2 6	SERICEA ----	I 0
PATENS Amelia ----	I 6	STRICTA ----	0 6
Helena ----	I 6	CORONILLA EMERUS ----	0 6
		CORYLOPSIS SPICATA ----	5 0

	Each s. d.		Each s. d.	Ornamental Trees and Shrubs
CORYLUS (<i>Filbert</i> , &c.) AVELLANA, }		CRATÆGUS ORIENTALIS, 2 to 4 feet	1 0	
4 feet ----- }	0 9	OVALIFOLIA, 2 to 3 feet -----	1 0	
heterophylla, 2 to 3 feet -----	1 0	OXYACANTHA (<i>Common Hawthorn</i>)		
purpurea, 1 to 2 feet -----	1 6	See THORN or QUICK, p. 7.		
12 fruiting Sorts ----- 1/ to	1 6	Celsiana -----	1 0	
COLUMNATA, 2 to 5 feet ----- 1/6 to	3 6	coccinea (Syn.— <i>punicea</i>) -- 1/ to	7 6	
ROSTRATA -----	1 6	fl. pl. punicea, 2 to 8 feet 1/ to	5 0	
COTONEASTER ACUMINATA -- 6d. to	1 6	fructu-coccinea -----	1 6	
AFFINIS ----- 6d. to	1 6	lutea -----	1 6	
BUXIFOLIA ----- 6d. to	1 6	Guthrieana -----	2 6	
FRIGIDA ----- 6d. to	1 6	laciniata pendula -----	1 6	
HOOKERIANA -----	1 6	pleno alba ----- 1/ to	5 0	
LANATA -----	2 6	monogynia -----	1 6	
LAXIFLORA -----	1 0	Oliveriana -----	1 6	
MICROPHYLLA ----- 4/ doz., 6/		pendula, 6 feet stems -- 2/6 to	5 0	
compacta -----	1 6	regina pendula -----	1 6	
NUMMULARIA, 2 to 6 feet -- 6d. to	2 6	quercifolia -----	1 6	
ROTUNDFOLIA ----- 4/ doz., 4/		spinosissima -----	2 6	
RUPESTRIS ----- 6/		stricta -----	1 0	
SIMONSII ----- 4/		tortuosa -----	1 0	
THYMIFOLIA -----	0 6	variegata argentea -----	1 6	
TOMENTOSA -----	1 6	aurea -----	1 6	
UNIFLORA -----	1 6	PARVIFOLIA -----	1 6	
VULGARIS -----	0 6	grossulariæfolia -----	1 6	
Standards -----	2 6	PRUNIFOLIA -----	1 6	
WHEELERII ----- 1/ to	1 6	PUNCTATA ----- 1/ to	3 6	
CRABOWSKIA BÆRHAARÆFOLIA -----	1 6	aurea -----	1 6	
CRATÆGUS (<i>Hawthorn</i>) ACERIFOLIA, 4 to 6 feet ----- }	1 6	rubra -----	1 0	
APIFOLIA, 2 to 5 feet -----	1 6	stricta -----	1 0	
ARONIA, 1 to 3 feet -----	1 6	PURPUREA -----	1 6	
COCCINEA, 2 feet ----- 4/ doz., 6/		PYRACANTHA ----- 1/ to	1 6	
6 to 8 feet -----	2 6	implexa -----	1 6	
4 varieties -----	1 6	PYRIFOLIA -----	1 0	
CRENULATA, in pots ----- 1/ to	2 6	TANACETIFOLIA -----	1 6	
CRUS-GALLI -----	1 0	glabra -----	1 6	
4 varieties -----	1 6	TOMENTOSA -----	1 6	
DOUGLASII, 3 to 4 feet -----	1 0	TRILOBATA -----	1 6	
FLAVA, 2 to 3 feet -----	1 0	VIRGINIANA -----	1 6	
GLANDULOSA, 2 to 3 feet -----	1 0	50 varieties, 2 of each 4/ 100, 63/		
HETEROPHYLLA, 2 to 4 feet -----	1 0	25 do., 4 do. -- 42/		
INTERMEDIA, 3 to 4 feet -----	1 0	CURRENT, FLOWERING. See RIBES,		
LATIFOLIA, 3 to 4 feet -----	1 0	page 30.		
LOBATA, 2 to 3 feet -----	1 0	CYDONIA (<i>Pyrus</i>) JAPONICA -----	1 0	
LUCIDA odorata, 3 to 4 feet -----	1 0	alba -----	1 6	
MACNABIANA, 3 to 4 feet -----	2 6	alba-cincta -----	2 6	
MACRANTHA, 4 feet -----	1 6	aurora -----	2 6	
MELANOCARPA -----	1 6	candidissima -----	2 6	
MEXICANA, 3 to 4 feet -----	1 6	fl. pleno -----	1 0	
NEAPOLITANA, 4 to 6 feet -----	1 0	grandiflora -----	2 6	
NIGRA, 2 to 3 feet -----	1 0	Moerloozii -----	2 6	
ODORATISSIMA, 3 to 5 feet -----	1 0	SINENSIS -----	2 6	
		VULGARIS -----	0 6	

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
CYDONIA VULGARIS, 4 varieties 1/6 to	3 6	DAPHNE MEZEREUM atropurpureum	5 0
CYTISUS ALPINUS. See SCOTCH LABURNUM, p. 6.		nova	1 6
ALPINUS odoratus, 4 to 8 feet 1/ to	2 6	ODORATA	1 6
annularis, 4 to 8 feet 1/ to	2 6	PONTICA 6d. to	1 6
hybridus, 3 to 5 feet	1 0	DESFONTAINIA SPINOSA 1/ to	2 6
pendulus, 6 to 9 feet 2/6 to	3 6	DEUTZIA CORYMBOSA	0 6
Parksii, 4 to 6 feet	1 6	CRENATA	1 0
Watererii	1 6	flore pleno 1/ to	2 6
LABURNUM. See ENGLISH LABURNUM, p. 6.		GRACILIS 6d. to	2 6
fragrans	0 9	SCABRA	1 0
latifolium	1 2	SINENSIS	1 0
purpureum, 4 to 6 feet	1 6	DIERVILLA CANADENSIS	0 6
quercifolium, 2 to 4 feet	1 6	FLORIBUNDA (Weigelia)	2 6
variegatum, 4 to 6 feet	1 6	DIOSPYROS VIRGINIANA	2 6
ALBUS (Portugal Broom), 2 to 4 } 1/2 doz., 4/ to 9/		DIRCA PALUSTRIS	3 6
feet transpl. }		DOGWOOD. See CORNUS, p. 20	2 6
AUSTRIACUS	0 6	EDWARDSIA MACNABIANA	3 6
CAPITATUS	0 6	MICROPHYLLA	2 6
ELONGATUS	0 6	PULCHELLA	3 6
HIRSUTUS	0 6	ELÆAGNUS ARGENTEA 6d. to	1 6
LATIFOLIUS	1 0	ANGUSTIFOLIA	1 0
NIGRICANS	0 6	REFLEXA	1 0
PURPUREUS	0 6	variegata 1/ to	2 6
albiflorus	1 6	ELDER. See p. 6, and SAMBUCUS, p. 32.	
atropurpureus	0 6	EMPETRUM NIGRUM	0 6
incarnatus	1 0	RUBRUM	1 0
SCOPARIUS (Common Broom). See p. 5.		EPIGÆA REPENS	1 6
albus	1 0	ERICA AUSTRALIS 6d. to	1 6
SECUNDUS	0 6	CILIARIS 6d. to	1 0
SESSILIFOLIUS	0 6	CINEREA	0 4
SPINOSUS	0 6	6 distinct varieties 4d. to	1 0
TRIFLORUS	0 6	HERBACEA 4d. to	1 0
6 sorts of Standards, 3 to 5 ft., 2/6 to	5 0	carnea 6d. to	1 0
DAPHNE ALPINA	1 6	MACKAYANA 1/ to	1 6
AUCKLANDII	1 6	MEDITERRANEA 6d. to	1 0
CNEORUM	1 6	alba	1 6
variegata	1 6	Hibernica 4d. to	1 0
COLLINA	1 6	nana	0 6
Dauphina	1 6	TETRALIX	0 4
Fioniana	1 6	4 varieties 4d. to	1 0
Neapolitana	1 6	VAGANS	0 9
FORTUNIANA	2 6	alba 4d. to	1 0
HYBRIDA	1 6	multiflora 4d. to	1 0
JAPONICA	2 6	VULGARIS. See CALLUNA, p. 18.	
LAUREOLA 1/2 doz., 4/ to 9/		ERIOBOTRYA JAPONICA 2/6 to	3 6
MEZEREUM	0 6	ESCALLONIA INGRAMII	1 6
atropurpureum 1/6 to	3 6	MACRANTHA	1 0
alba	1 0	MONTEVIDENSIS	1 0
autumnale	2 6	PTEROCLADON	1 0
		RUBRA	1 0
		alba	1 6
		pallida	1 6

	Each s. d.		Each s. d.	
EUGENIA APICULATA -----	1 6	FORSYTHIA SUSPensa ----- 1/ to	1 6	Ornamental Trees and Shrubs
MYRTIFOLIA -----	1 6	VIRIDISSIMA ----- 1/ to	1 6	
UGNII ----- 1/ to	3 6	FOTHERGILLA ALNIFOLIA, 2 feet --	1 6	
other Sorts ----- 1/6 to	2 6	FRAXINUS ACUMINATA (Rim) or Yellow Ash) -- 1/ to	1 6	
EUONYMUS (Spindle Tree) } AMERICANUS ----- } 6d. to	1 0	AMERICANA (White Ash) -- 1/ to	1 6	
ANGUSTIFOLIUS -----	0 6	AMÆRISSIMA -----	1 0	
ATROPURPUREUS -----	1 6	CALABRICA -----	1 0	
EUROPÆUS, 2 to 8 feet ---- 6d. to	3 6	CAROLINIANA, 3 to 4 feet -----	1 6	
fructu-albo, 1 to 6 feet -- 9d. to	3 6	CHINENSIS, 3 to 6 feet -----	1 6	
nanus, 9 to 12 inches -----	0 6	ELLIPTICA, 3 to 6 feet -----	1 6	
HAMILTONIANUS ----- 6d. to	1 6	EPIPTERA, 2 to 3 feet -----	0 6	
JAPONICUS ----- 6d. to	1 6	EXCELSIOR (Common Ash). See page 5.		
fol. argentea -----	1 6	argentea, 2 to 6 feet -----	1 6	
crispus -----	2 6	aurea, 4 to 6 feet ----- 1/6 to	3 6	
aureus -----	1 6	pendula, 6 to 10 feet -- 5/ to	7 6	
LATIFOLIUS -----	1 6	aucubifolia, 4 to 6 feet -----	1 6	
NANUS -----	1 0	crispa, 1 to 2 feet -----	1 6	
RADICANS fol. variegata -----	2 6	fungosa, 4 to 6 feet -----	1 6	
VERRUCOSUS ----- 1/ to	2 6	glomerata, 1 to 2 feet -----	1 6	
EURYA LATIFOLIA variegata -- 2/6 to	10 6	macrophylla -----	2 6	
EURYBIA ARGOPHYLLA -----	1 6	monstrosa, 3 to 6 feet -----	1 0	
GUNNII -----	1 6	pendula, 6 to 12 feet stems, 2/6 to	10 6	
ILICIFOLIA -----	1 6	verticillaris -----	3 6	
TOMENTOSA -----	2 6	nigra -----	1 6	
FABIANA IMBRICATA ----- 1/ to	2 6	variegata -----	1 0	
FAGUS (Beech) BETULOIDES ----- 3/6 to	10 6	EXPANSA, 3 to 6 feet -----	1 0	
Caroliniana, 3 to 5 feet -----	2 6	GLABRA, 3 to 6 feet -----	1 6	
SYLVATICA. See COMMON BEECH, p. 5.		HETEROPHYLLA, 3 to 6 feet -----	2 6	
asplenifolia, 4 to 6 feet -- 1/ to	2 6	HISPIDA, 3 to 4 feet -----	1 0	
6 to 8 feet ----- 3/6 to	5 0	INTEGRIFOLIA, 6 to 10 feet -- 1/6 to	5 0	
cristata, 2 to 6 feet ----- 1/ to	2 6	nigra, 6 to 10 feet ----- 1/6 to	5 0	
cuprea (Copper Beech), 4 } to 6 feet ----- } 1/6 to	5 0	JUGLANDIFOLIA, 3 to 4 feet -----	1 6	
grandidentata, 3 to 4 feet 1/6 to	2 6	LENTISCIFOLIA, 3 to 6 feet -----	1 6	
macrophylla, 4 feet -----	1 6	pendula, 6 feet stems -----	7 6	
monstrosa -----	2 6	LUCIDA -----	1 6	
Norvegica, 4 to 6 feet -----	2 6	LYRATA -----	1 6	
pendula, 6 to 8 feet ----- 2/6 to	10 6	ORNUS (Flowering Ash), 1 to 2 } feet ----- }	1 0	
purpurea, (Purple Beech), 2 to 1 3 feet ----- }	1 0	3 to 6 feet ----- 1/ to	2 6	
3 to 4 feet -----	1 6	OXYPHYLLA -----	1 6	
4 to 6 feet ----- 2/6 to	3 6	PALLIDA -----	1 0	
6 to 10 feet ----- 5/ to	21 0	PUBESCENS (Red Ash) ----- 6d. to	2 6	
pendula, 6 to 8 feet ----- 3/6 to	21 0	RICHARDII -----	1 6	
SALICIFOLIA, 2 to 4 feet ----- 1/ to	1 6	SAMBUCIFOLIA ----- 1/ to	1 6	
4 to 8 feet ----- 2/6 to	5 0	SCOLOPENDRIFOLIA, 3 to 6 feet -----	1 6	
quercifolia, 2 to 6 feet ----- 1/ to	3 6	SPECTABILIS -----	1 6	
variegata argentea, 2 to 1 6 feet ----- }	1 5 to	VIRIDIS, 3 to 6 feet -----	1 6	
aurea, 2 to 4 feet ----- 1/6 to	3 6	Species from Himalaya, 1 to 2 feet	1 6	
FONTANESIA PHILLYRÆOIDES -----	1 6	other Sorts ----- 1/6 to	3 6	
		GARRYA ELLIPTICA ----- 1/ to	2 6	

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
GAULTHERIA PROCUMBENS-----	1 6	HEDERA HELIX Romana -----	0 9
SHALLON -----	0 6	variegata argentea -----	0 6
GENISTA ANGLICA -----	0 6	aurea -----	1 0
CAPITATA -----	1 0	elegans -----	1 0
GERMANICA -----	0 6	tricolor -----	1 0
HISPANICA (<i>Spanish Whin</i>)-----	1 0	RÆGNERIANA -----	1 0
HORRIDA -----	0 6	HELIANTHEMUM (<i>Rock Rose</i>)—	
PILOSA -----	1 6	12 distinct Sorts ----- $\frac{7}{8}$ doz., 4/	
PURGANS -----	1 0	HIBISCUS SYRIACUS ----- 1/ to	2 6
RADIATA -----	0 6	variegata ----- 2/6 to	5 0
SAGITTALIS -----	0 6	flore pleno -----	2 6
SIBERICA -----	0 6	12 named varieties ----- 1/6 to	3 6
TINCTORIA -----	0 6	HIPPOPHÆA RHAMNOIDES. See SEA	
fl. pleno -----	1 0	BUCKTHORN, page 5.	
GLEDITSCHIA CASPICA -----	1 6	angustifolia -----	1 0
FONTANESII -----	1 0	Salicifolia -----	1 6
LATISILIQUA -----	1 0	HOLLY. See page 6, and ILEX.	
HORRIDA -----	1 6	HONEYSUCKLE. See LONICERA, p. 26,	
MACRANTHA -----	1 0	and CAPRIFOLIUM, p. 18.	
inermis -----	1 0	HYDRANGEA HORTENSIS -----	1 0
TRIACANTHOS, 2 to 4 feet -----	0 6	JAPONICA -----	1 0
inermis, 1 to 2 feet -----	0 6	variegata argentea -----	1 6
GLYCINE (<i>Wisteria</i>) FRUTESCENS -----	1 0	aurea -----	1 6
MAGNIFICA ----- 1/6 to	2 6	NIVEA -----	1 0
SINENSIS ----- 1/ to	2 6	PANICULATA alba -----	5 0
alba ----- 1/6 to	3 6	HYPERICUM ANDROSÆMUM -----	0 9
GRISLINIA LITTORALIS -----	1 0	CALYCINUM ----- $\frac{7}{8}$ doz., 4/	
macrophylla ----- 2/6 to	5 0	ELATUM -----	1 0
GUELDER ROSE. See VIBURNUM,		HIRCINUM -----	1 0
page 34.		NEPALENSE -----	1 0
GURYA JAPONICA -----	2 6	Species from New Zealand -----	2 6
GYMNOCLADUS CANADENSIS -----	1 6	HYSSOPUS OFFICINALIS -----	0 4
HALESIA (<i>Snowdrop Tree</i>) PARVIFOLIA -----	1 0	ILEX AQUIFOLIUM (<i>Common Holly</i>). See	
TETRAPTERA -----	1 6	page 6.	
HAMAMELIS VIRGINICA -----	1 6	SECT. I.— <i>Leaves Green, and as large or</i>	
HEATH. See CALLUNA and ERICA,		<i>larger than those of the Species.</i>	
pages 18 and 22.		alcicorne, 1 to 2 feet -----	1 6
HEDERA HELIX (<i>Common</i>) $\frac{7}{8}$ 100, 12/6		3 to 5 feet ----- 3/6 to	10 6
Ivy) -----		Caroliniana, 1 to 3 feet ----- 1/6 to	7 6
Algeriensis -----	1 0	Dutch Holly, 2 to 5 feet ----- 1/6 to	7 6
variegata -----	2 6	fructu-lutea, 3 to 5 feet ----- 2/6 to	10 6
arborescens -----	1 6	grandifolium, 1½ to 2 feet -----	10 6
argentea maculata -----	1 6	heterophyllum, 1 to 3 feet ----- 1/6 to	3 6
canariensis -----	0 9	Hodgensii, 1 to 2 feet ----- 1/ to	2 6
Cavendishii -----	1 6	3 to 6 feet ----- 3/6 to	21 0
chrysocarpa -----	0 9	hybridum, 2 to 4 feet ----- 1/6 to	5 0
digitata (<i>palmata</i>) -----	0 6	intermedium, 2 to 5 feet ----- 1/6 to	10 6
Doneraileensis -----	0 6	integrifolium latifolium, 2 to 3 ft. -----	2 6
Hibernica ----- $\frac{7}{8}$ 100, 12/6		latispinum, 1 to 2 feet -----	2 6
variegata -----	1 0	latifolium, 1 to 2 feet -----	1 6
latimaculata -----	1 0	laurifolium, 1 to 2 feet ----- 1/ to	1 6
poetica -----	1 0		

	Each s. d.
ILEX AQUIFOLIUM (Common Holly)—	
laurifolia, 3 to 5 feet ---- 2/6 to	7 6
marginatum, 1 to 2 feet ----	1 0
2 to 4 feet ---- 2/6 to	3 6
4 to 6 feet ---- 5/ to	10 6
nobilis (<i>Urquhartii</i>), 1 to 2 feet--	1 6
3 to 5 feet ---- 3/6 to	7 6
pendulum, 2 to 4 feet ----	2 6
4 to 6 feet ---- 5/ to	10 6
platyphyllum, 2 to 4 feet ----	2 6
rigidum, 1 to 2 feet ----	1 6
2 to 5 feet ---- 2/6 to	5 0
Shepherdii, 1 to 2 feet ----	1 0
2 to 4 feet ---- 2/6 to	3 6
4 to 6 feet ---- 5/ to	10 6
SECT. II.—Leaves Green, and smaller than those of the Species.	
aculeatum, 1 to 2 feet ----	3 6
angustifolium, 1 to 2 feet ----	2 6
ciliatum majus, 1 to 4 feet 1/6 to	5 0
minus, 1 to 2 feet ---- 1/6 to	2 6
crassifolium, 1 to 3 feet -- 1/6 to	5 0
crispum, 6 to 12 inches ----	1 0
1 to 2 feet ----	1 6
2 to 4 feet ---- 2/6 to	5 0
Donningtonense, 1 to 3 feet 2/6 to	5 0
ferox, 1 to 2 feet ----	1 6
2 to 4 feet ---- 2/6 to	3 6
Myrtifolium, 1 to 3 feet-- 1/6 to	5 0
ovatum, 1 to 2 feet ---- 1/6 to	2 6
recurvum, 1 to 3 feet ---- 1/6 to	3 6
serratifolium, 1 to 2 feet-- 1/6 to	2 6
Whittingtonensis, 2 to 3 ft. 2/6 to	3 6
SECT. III.—Leaves Blotched, Margined, or Variegated with White.	
angusti-marginatum, 1 to } 1/6 to	2 6
3 feet ----	
ferox argenteum, 1 to 3 feet 1/ to	2 6
Handsworthensis, 1 to 2 feet --	5 0
lati-marginatum, 1 to 3 feet 1/ to	2 6
marginatum, 1 to 5 feet-- 1/ to	10 6
pectinata majus, 1 to 3 ft. 2/6 to	5 0
minus, 1 to 2 feet ----	2 6
pendulum, 1 to 2 feet ----	2 6
3 to 6 feet ---- 7/6 to	21 0
pictum, 1 to 2 feet ---- 1/6 to	2 6
purpureum, 1 to 3 feet -- 1/6 to	5 0
quadricolor, 1 to 3 feet -- 1/6 to	5 0
tricolor, 1 to 3 feet ---- 1/6 to	5 0
veridum, 1 to 4 feet ---- 1/ to	7 6

	Each s. d.	Ornamental Trees and Shrubs
SECT. IV.—Leaves Blotched, Margined or Variegated with Yellow.		
ILEX AQUIFOLIUM (Common Holly)—		
angustifolium, 1 to 3 feet 1/ to	7 6	
angusti-marginatum, 2 } 1/6 to	10 6	
to 4 feet ----		
crispum, 1 to 3 feet ---- 1/ to	7 6	
ferox aureum, 1 to 2 feet 1/ to	1 6	
2 to 4 feet ---- 2/6 to	10 6	
heterophyllum, 1 to 4 feet 1/ to	10 6	
lati-marginatum, 1 to 2 feet----	2 6	
marginatum, 1 to 3 feet-- 1/ to	5 0	
media-picta variegatum, 2 feet--	5 0	
Moonlight (<i>aurantiaca</i>), } 1/6 to	10 6	
1 to 5 feet ----		
nanum (<i>Waterer's Dwarf</i>), 1 } 3 6		
to 2 feet ----		
pictum, 1 to 4 feet---- 1/ to	5 0	
Regina (<i>Queen Golden</i>) -- 1/6 to	21 0	
rigidum marginatum, 1 } 1/ to	3 6	
to 3 feet ----		
pictum, 1 to 4 feet -- 1/ to	5 0	
ILEX BALEARICA ---- 1/6 to 10 6		
nigrescens, 1 to 2 feet -- 1/ to	2 6	
variegata, 1 to 3 feet ---- 2/6 to	5 0	
CASTANIFOLIA, 1 to 3 feet-- 1/6 to	5 0	
CORNUTA, 1 to 2 feet---- 1/6 to	2 6	
CRENATA (<i>Fortunii</i>) ---- 2/6 to	7 6	
CUNNINGHAMII, 2 to 5 feet 3/6 to	5 0	
FURCATA, 1 to 2 feet ----	2 6	
LATIFOLIA, 2 to 3 feet ----	5 0	
LATISPINA minor ----	5 0	
MADERIENSIS ---- 1/6 to	5 0	
OPACA, 1 to 2 feet ----	2 6	
MACROCARPA, 1 to 3 feet -- 1/6 to	3 6	
MAGELLANICA, 9 to 15 in. 1/6 to	2 6	
MYRTIFOLIA aurea ----	5 0	
PERADO, 1 to 2 feet ----	2 6	
RIGIDA, 6 to 12 inches ----	2 6	
TURAGO, 1 to 3 feet ---- 2/6 to	5 0	
INDIGOFERA DOSUA ----	1 6	
FLORIBUNDA ----	1 6	
IVY. See HEDERA, page 24.		
JASMINUM GRANDIFLORUM ----	2 6	
HUMILE ----	0 6	
NUDIFLORUM ---- 6d. to	1 0	
variegatum ----	2 6	
OFFICINALE ----	0 6	
variegatum ----	2 6	
REVOLUTUM ----	0 9	

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
JASMINUM WALLICHIANUM-----	1 0	LIRIODENDRON INTEGRIFOLIUM 5/ to	10 6
JUGLANS (<i>Walnut</i>) CINERIA, 9 to }	1 0	LONICERA ALPIGENA, 1 to 3 feet --	1 0
15 inches -----	1 0	CÆRULEA -----	0 6
NIGRA ----- 1/ to	2 6	CANADENSIS, 1 to 2 feet -----	0 9
PRÆPARTURIENSIS, 1 to 4 ft. 1/6 to	5 0	CONFUSA -----	1 0
REGIA. See WALNUT, page 7.		DIVERSIFOLIA, 1 to 2 feet -----	1 0
laciniata ----- 2/6 to	7 6	FENESII -----	1 6
pendula ----- 5/ to	10 6	IBERICA, 1 to 2 feet -----	1 0
KALMIA ANGUSTIFOLIA -----	0 6	LEDEBOURII, 1 to 3 feet -----	1 0
variegata -----	1 0	PYRENAICA -----	1 6
GLAUCA -----	1 0	SIBERICA -----	1 0
LATIFOLIA ----- 1/ to	5 0	SPECIOSA -----	1 6
MYRTIFOLIA ----- 1/6 to	5 0	TATARICA -----	1 0
NANA -----	2 6	XYLOSTEUM -----	0 6
KOLREUTERIA PANICULATA -- 1/ to	2 6	See CAPRIFOLIUM, p. 18.	
LARDIZABELLA BITERNATA -----	2 6	LUPINUS ARBOREUS -----	1 0
LAURUS NOBILIS (<i>Sweet Bay</i>) -- 1/ to	2 6	LYCIUM BARBARUM -----	0 6
Standards in Tubs -- 21/ to	15 0	OVATUM -----	0 9
crispa -----	2 6	Species from Himalayas -----	1 0
salicifolia -----	2 6	MACLURA AURANTIACA (<i>Osage Orange</i>)	1 0
undulata -----	2 6	variegata -----	2 6
REGALIS ----- 3/6 to	7 6	MAGNOLIA ACUMINATA ----- 1/6 to	5 0
LAUREL, ALEXANDRIAN. See RUSCUS,		CONSPICUA ----- 2/6 to	7 6
page 31.		Soulangeana ----- 1/6 to	5 0
BAY. See CERASUS, page 19.		speciosa -----	3 6
PORTUGAL. See CERASUS, page 19.		GLAUCA ----- 1/6 to	5 0
LAURESTINUS. See VIBURNUM TINUS,		Thomsonii -----	5 0
page 34.		GRANDIFLORA ----- 1/6 to	10 6
LAVENDULA SPICA (<i>Lavender</i>) ----	0 6	LENNE ----- 5/ to	7 6
fl. albo -----	1 6	MACROPHYLLA ----- 2/6 to	5 0
latifolia -----	0 6	PRÆCOX -----	2 6
LEDUM BUXIFOLIUM -----	1 0	PURPUREA -----	3 6
CANADENSE -----	1 6	ROTUNDFOLIA ----- 1/6 to	3 6
THYMIFOLIUM -----	1 0	TRIPETALA ----- 1/6 to	2 6
LEYCESTERIA FORMOSA, 4/ 100, 35/		MAHONIA AQUIFOLIA, }	
NEPALENSE -----	1 6	(Common Ma-	
LIGUSTRUM (<i>Privet</i>) JAPONICUM, 1/ to	1 6	honia), 1 year } 4/ 1000, 7/6	
CORIACEUM -----	7 6	seedling ----- }	
NEPALENSE -----	1 6	2 years seedling -- -- 10/6	
OVALIFOLIUM ----- 4/ 100, 15/		6 to 12 inches -- -- 75/	
SINENSE ----- 1/ to	2 6	12 to 18 inches, 4/ 100, 15/	
VULGARE (<i>Common and Box-leaved</i>		18 to 24 inches -- -- 21/	
<i>Privet</i>). See page 6.		repens ----- 9d. to	1 0
fl. luteum odoratum -----	1 0	BEALII ----- 1/6 to	2 6
variegatum ----- 4/ doz., 4/		FASCICULARIS -----	1 6
superbum -----	1 0	FORTUNII ----- 1/6 to	3 6
LILAC. See SYRINGA, page 33.		GLUMACEA (<i>nervosa</i>) ----- 6d. to	1 6
LIQUIDAMBER (<i>Amber Tree</i>) IMBERBE	2 6	INTERMEDIA ----- 1/ to	1 6
STYRACIFLORA -----	3 6	JAPONICA ----- 1/6 to	5 0
LIRIODENDRON TULIPIFERA } 1/ to	5 0	LESCHENAUETH ----- 2/6 to	7 6
(<i>Tulip Tree</i>) ----- }		NEPALENSIS ----- 3/6 to	10 6
ACUTIFOLIUM -----	5 0	MAGYRORGARPUS SETOSUS -----	2 6

	Each s. d.		Each s. d.	
MAXIMOWICZIA SINENSIS -----	5 0	PÆONIA MOUTAN papaveracea ----	2 6	Ornamental Trees and Shrubs
MENZIESIA CÆRULEA -----	2 6	rosea -----	3 6	
GLOBOSA -----	1 0	magna -----	5 0	
fl. alba -----	1 0	purpurea -----	5/ to 7 6	
GLOBULARIS -----	1 0	12 other distinct varieties 2/6 to	5 0	
POLIFOLIA -----	0 6	12 Chinese Sorts -----	5/ to 10 6	
fl. alba -----	0 6	PALIURUS ACULEATUS (Christ's } 6d. to	1 6	
MESPILUS (Medlar) GERMANICA ----	1 0	Thorn) -----		
3 other Sorts -----	1 6	PASSIFLORA CÆRULEA -----	1 6	
MITCHELLIA REPENS -----	1 6	PAULOWNIA IMPERIALIS -----	1 0	
MITRARIA COCCINEA ----- 1/ to	1 6	PAVIA (Smooth-fruited or Buckeye } 1 0		
MORUS (Mulberry) ALBA ----- 1/6 to	2 6	Horse Chestnut) CANADEN- }		
CONSTANTINOPOLITANA -----	5 0	sis, 3 feet -----		
KÆMPFERII -----	5 0	COCCINEA, 3 to 4 feet -----	1 6	
MORETTIANA -----	1 0	DISCOLOR, 3 feet -----	1 0	
NIGRA ----- 1/ to	2 6	DUBIA, 4 to 6 feet -----	1 6	
RUBRA ----- 1/ to	2 6	FLAVA, 3 feet -----	1 0	
MYRICA CERIFERA -----	0 6	NEGLECTA, 3 to 8 feet ----- 1/ to	3 6	
latifolia -----	0 6	RUBRA, 3 to 4 feet ----- 1/ to	1 6	
CALIFORNICA -----	0 6	rosea, 3 to 4 feet ----- 1/ to	3 6	
GALE (Sweet Gale) -----	1 0	PERIPLOCA GRÆCA -----	1 0	
MYRTUS ANGUSTIFOLIUS -----	1 0	PERIWINKLE. See VINCA, p. 34.		
COMMUNIS ----- 6d. to	7 6	PERNETTYA ANGUSTIFOLIA -----	1 0	
LAURIFOLIUS -----	1 0	FLORIBUNDA -----	1 0	
THYMIFOLIUS -----	1 0	MICROPHYLLA -----	1 0	
NEGUNDO FRAXINIFOLIA } (Ash Maple), 1 } 4/ 100, 30/ to 3 ft. transpl. }		MUCRONATA ----- 6d. to	1 0	
4 to 10 feet ----- 1/ to	3 6	PILOSA -----	1 6	
crispa -----	1 6	PUMILA -----	1 0	
variegata alba ----- 1/6 to	5 0	PHILADELPHUS CORONARIUS 6d. to	1 0	
lutea ----- 2/6 to	5 0	flore pleno, 1 to 3 feet -- 6d. to	1 0	
violacea ----- 1/ to	5 0	nanus, 9 to 12 inches -- 6d. to	1 0	
NEILLIA THYRSIFLORA -----	1 0	variegatus, 1 to 2 feet -- 1/ to	1 6	
NUTTALLIA CERASSIFORMIS -----	3 6	FLORIBUNDUS -----	1 6	
NYSSA BIFLORA -----	2 6	GRACILIS ----- 6d. to	1 0	
GRANDIDENTATA -----	1 6	GORDONIANUS ----- 6d. to	1 0	
VILLOSA -----	1 0	GRANDIFLORUS -----	1 0	
OLEA (Olive) EUROPÆA -----	1 6	HIRSUTUS -----	1 6	
FERRUGINEA -----	1 6	INOPORUS ----- 6d. to	1 6	
FRAGRANS -----	1 6	LATIFOLIUS -----	1 6	
ILICIFOLIA ----- 1/6 to	2 6	LAXUS ----- 1/ to	1 6	
ONONIS FRUTICOSA -----	1 0	MEXICANUS -----	2 6	
ROTUNDIFOLIA -----	1 0	SPECIOSUS -----	0 9	
OSMANTHUS ILICIFOLIUS ----- 1/6 to	7 6	VERRUCOSUS ----- 6d. to	1 0	
VARIEGATUS ----- 1/6 to	7 6	ZEYHERII, 1 to 2 feet -----	1 6	
nanus ----- 1/6 to	7 6	Price of the above Sorts 4/ 100 or 1000 on application.		
aureus ----- 2/6 to	7 6	PHILESIA BUXIFOLIA -----	5 0	
OSTRYA ALBA -----	1 6	PHILLYREA ANGUSTIFOLIA -- 6d. to	2 6	
VIRGINICA -----	1 6	LATIFOLIA -----	6d. to 3 6	
OXYCOCCUS (Cranberry) AMERICANUS	0 6	LIGUSTRIFOLIA ----- 1/ to	2 6	
PÆONIA MOUTAN (Tree Pæony), 1/6 to	3 6	MEDIA ----- 6d. to	2 6	

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
PHILLYREA MEDIA buxifolia -- 1/ to	3 6	PRUNUS DOMESTICA. See FRUIT	
OLEÆFOLIA ----- 1/ to	3 6	TREE CATALOGUE.	
PHLOMIS FRUTICOSA -----	0 9	flore pleno -----	2 6
VIRENS -----	1 0	variegata aurea -----	1 6
PHORMIUM TENAX (<i>New</i>)		INSTITIA (<i>Bullace Plum</i>) ---- 1/ to	2 6
Zealand Flax) ----- 1/6 to	5 0	MYROBOLANA (<i>Cherry Plum</i>) ----	1 0
VARIEGATA ----- 50/ to 100	0 0	SPINOSA flore pleno (<i>Double Sloe</i>), 1/6 to	3 6
PHOTINIA ARBUTIFOLIA -----	2 6	TRILOBA. See AMYGDALOPSIS	
DUBIA -----	5 0	LINDLEYII, p. 16.	
SERRULATA -----	2 6	PTELEA TRIFOLIATA ----- 6d. to	2 6
PIPTANTHUS NEPALENSIS -----	1 0	variegata ----- 1/6 to	2 6
PISTACIA VERA -----	1 6	PTEROCARYA CAUCASICA -- 1/6 to	5 0
PITOSPORUM MAYII, 6 to 12 }		PUNICA (<i>Pomegranate</i>), GRANATUM 9d. to	5 0
inches ----- }	2 6	LEGRELLII ----- 3/6 to	5 0
TOBIRA, 6 to 12 inches -----	1 0	PYRUS ACERIFOLIA, 2 to 3 feet -----	1 6
variegata ----- 1/ to	2 6	5 to 8 feet -----	2 6
PLANERA ACUMINATA -----	7 6	AMERICANA ----- 1/6 to	3 6
RICHARDII ----- 1/6 to	2 6	fastigiata, 3 to 4 feet -----	1 6
PLATANUS (<i>Plane</i>) NEPALENSIS, }		fl. alba pleno -----	3 6
3 feet ----- }	2 6	fl. rubra pleno -----	3 6
OCCIDENTALIS (<i>Western</i>)		ARIA (<i>Service or White Beam</i>). See p. 6.	
Plane) 2 to 6 ft. -- }	6d. to 1 6	latifolia, 2 to 6 feet ----- 1/ to	2 6
ORIENTALIS (<i>Oriental Plane</i>), }		nivea, 3 to 6 feet ----- 1/ to	2 6
2 to 6 feet ----- }	6d. to 1 6	undulata, 3 feet -----	1 6
acerifolia 1½ to 6 feet -----	2 6	AMYGDALIFORMIS, 3 to 8 feet, 1/6 to	3 6
cuneata, 1 to 2 feet ----- 1/ to	1 6	ANGUSTIFOLIA, 3 to 8 feet -- 1/6 to	3 6
POLYGALA CHAMÆBUXUS -----	1 0	ASTRACANICA expansa, 2 to 5 feet	1 0
POPULUS (<i>Poplar</i>). See p. 6.		fastigiata, 2 to 4 feet -----	1 0
ALBA (<i>Abele</i>) ----- 6d. to	2 6	AUCUPARIA (<i>Mountain Ash</i>). See	
acerifolia ----- 1/ to	2 6	page 5.	
ANGULATA -----	2 6	fastigiata, 4 to 6 feet ---- 1/ to	3 6
BALSAMIFERA suaveolens ---- 1/ to	2 6	fructu-lutea, 2 to 3 feet -- 1/ to	3 6
CANADENSIS -----	1 0	pendula, 6 to 10 feet stems, 2/6 to	7 6
CANESCENS -----	1 6	variegata -----	5 0
GRÆCA -----	1 0	BACCATA (<i>Siberian Crab</i>), 2 }	
LAURIFOLIA ----- 6d. to	1 6	to 6 feet ----- }	1/ to 2 6
LINDLEYANA -----	1 0	coccinea, 2 to 4 feet ----- 1/ to	2 6
TREMULA (<i>Aspen</i>) -----	1 6	BOLLWYLLERIANA, 2 to 5 feet, 1/ to	2 6
pendula ----- 3/6 to 10	6 6	COMMUNIS (<i>Pear</i>) fl. pleno -- 1/ to	2 6
POTENTILLA FLORIBUNDA -----	0 6	variegata, 2 to 4 feet 1/6 to	2 6
FRUTICOSA -----	0 6	fructu-variegata ---- 1/ to	1 6
dahurica -----	2 6	jaspida, 2 to 4 feet -- 1/ to	1 6
GLABRA -----	2 6	fruiting sorts. See FRUIT	
PRINOS AMBIGUUS -----	1 6	TREE CATALOGUE.	
GLABER -----	2 6	CORONARIA, 2 to 4 feet ---- 1/ to	2 6
LÆVIGATUS -----	2 6	DULCIS, 2 to 6 feet ----- 1/ to	1 6
LANCEOLATUS ----- 9d. to	1 6	ELÆAGNIFOLIA, 3 to 6 feet -- 1/ to	2 6
PRUNIFOLIUS -----	1 0	FLORIBUNDA, 2 to 4 feet ---- 1/ to	1 6
VERTICILLATUS -----	0 9	HETEROPHYLLA, 2 to 6 feet -- 1/6 to	3 6
PRUNUS (<i>Plum</i>) AMERICANA -----	1 0	INTERMEDIA, 3 to 6 feet -- 6d. to	1 6
BRIGANTIACA -----	1 0	LANUGINOSA, 3 to 6 feet -- 1/6 to	3 6
CALIFORNICA -----	1 0	MALUS (<i>Apple</i>) fol. argenteis ----	3 6

	Each s. d.		Each s. d.	
PYRUS MALUS aurea nervosa, 2 to 4 feet	1 0	QUERCUS GRAMUNTIA	2 6	Ornamental Trees and Shrubs
argentea marginata, 2 to 3 feet	3 6	HINDSII	3 6	
jaspida	2 6	ILEX (Evergreen Oak), } $\pounds$ 100, 25/		
NEPALENSIS, 2 to 4 feet	1 6	9 to 12 in. }		
NIVALIS	1 6	1 to 2 feet	50/	
PINNATIFIDA, 2 to 8 feet	1 6	12 to 15 in., in pots, $\pounds$ doz., 5/		
arbuscula, 3 to 6 feet	1 6	4 to 8 feet	2/6 to 10 6	
PRUNIFOLIA, 3 to 6 feet	1 6	Ballota	1 6	
coccinea, 2 to 8 feet	1 6	Fordii	2/6 to 7 6	
hybrida, 3 to 8 feet	1 6	dentata	2 6	
PULVERIANA, 2 to 3 feet	1 6	integrifolia	2 6	
RIGNO, 2 to 4 feet	5 0	latifolia	2/6 to 5 0	
SALICIFOLIA, 2 to 4 feet	1/6 to 3 6	rotundifolia	2 6	
SALVIFOLIA, 2 to 8 feet	1 6	salicifolia	1/6 to 3 6	
SINENSIS, 1 to 2 feet	3 6	serratifolia	1/6 to 3 6	
SORBUS (True Service), 3 to 6 feet	1 6	Shepherdii	1/6 to 3 6	
HETEROPHYLLA	1 6	Kelloggii	2/6 to 5 0	
SPECTABILIS, 2 to 4 feet	1 6	LAURIFOLIA	3/6 to 7 6	
SPURIA, 2 to 4 feet	1 6	LONETTII	7/6 to 10 6	
THEOPHRASTII, 3 to 6 feet	1 6	MACROCARPA	1 6	
TORINGO, 2 to 3 feet	2 6	MIRBECKII	3 6	
UNDULATA, 2 to 3 feet	1 6	PALUSTRIS	2 6	
VARIOLOSA, 2 to 4 feet	2 6	PANNONICA	2/6 to 10 6	
VESTITA, 2 to 8 feet	1/6 to 3 6	PEDUNCULATA (Common Oak)	See page 6.	
QUERCUS (Oak) ÆGILOPS	1 6	asplenifolia, 3 to 5 feet	5 0	
pendula, 6 to 8 feet	5/ to 10 6	fastigiata cochleata, 2 to 4 feet	3 6	
AGRIFOLIA, 2 to 3 feet	2 6	rubra, 4 to 10 feet	2/6 to 7 6	
ALBA, 2 to 4 feet	1 6	viride, 3 to 8 feet	2/6 to 7 6	
AUSTRALIS	2/6 to 5 0	Fenesii, 2 to 8 feet	1/6 to 5 0	
BALLOTA, 6 to 15 inches	1 6	heterophylla, 2 to 4 feet	1/6 to 5 0	
BAMBUSIFOLIA, 2 to 3 feet	7 6	imbricata, 6 to 10 feet	5 0	
BANNISTERII, 2 to 4 feet	1 6	nigra	5/ to 10 6	
CASTANIFOLIA	2 6	pendula, 6 to 8 feet	5/ to 10 6	
CERRIS (Turkey Oak). See p. 6.		purpurea, 2 to 5 feet	2/6 to 7 6	
austriaca	1/6 to 5 0	pterifolia, 2 to 5 feet	2/6 to 5 0	
fulhamensis, 2 to 4 feet	2 6	pyramidalis	3 6	
heterophylla, 4 to 6 feet	2 6	variegata bicolor, 2 to 4 ft., 2/6 to 5 0		
laciniata	1 6	maculata, 2 to 6 feet	1/6 to 5 0	
Lucombeana	2/6 to 5 0	marginata, 2 to 4 feet	3/6 to 5 0	
incisa, 2 to 4 feet	2 6	PRINOS, 1 to 4 feet	6d. to 1 6	
variegata argentea, 2 to 5 feet	2/6 to 7 6	PYRENAICA (Tausin)	1 0	
variegata	2/6 to 10 6	RAVENS-CROFTIANA	10 6	
COCCIFERA	3 6	RUBRA	1 6	
COCCINEA, 1 year seedling, $\pounds$ 100, 15/		taraxacifolia	2 6	
2 years seedling	21/	SESSILIFLORA. See page 6.		
12 to 18 inches	50/	SIDEROXYLA	2 6	
3 to 6 feet	1 6	SUBER (Cork Tree)	1/6 to 2 6	
DENSIFLORA	5 0	TURNERII	1/6 to 2 6	
FAGINA	1 6	VIRENS, 2 to 3 feet	3 6	
GLABRA	3/6 to 10 6	RAPHIOLEPIS OVATA	5/ to 10 6	
		RHAMNUS ALATERNUS	1 0	

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
RHAMNUS ALATERNUS angustifolia 1/ to	1 6	RIBES CERASIFORME -----	0 6
argenteis -----	1 6	DIACANTHA -----	1 0
maculata, 1 to 3 ft. 6d. to	3 6	GROSSULAROIDES -----	0 6
ALNIFOLIUS, 12 to 15 inches -----	0 9	GORDONIANUM -----	0 6
ALPINUS -----	2 6	GRACILE -----	0 9
CALIFORNICUS, 1 to 4 feet -- 1/ to	2 6	LOUDONIANUM -----	0 9
CAROLINIANUS -----	0 6	MENZIESII -----	1 0
CATHARTICUS, 2 to 5 feet -- 6d. to	2 6	NIGRUM (<i>Black Currant</i>). See FRUITS,	
CHLOROPHORUS, 1 to 2 feet -----	2 6	page 35.	
FRANGULA ----- 1/ to	3 6	fol. variegatus -----	1 0
INFECTORIUS -----	1 6	fructu-viride -----	0 9
LATIFOLIUS, 3 to 6 feet ---- 1/6 to	5 0	laciniatum -----	1 0
UTILIS (<i>Green Dye of the Chinese</i>), 1/ to	2 6	NIVEUM -----	0 6
RHODODENDRON CAMPANULATUM—		SANGUINEUM (<i>Scarlet Currant</i>) ----	0 6
9 to 12 inches -- 4/ 100, 50/		atrosanguineum -----	0 6
12 to 18 inches -- 75/ to 100 0		flore albo -----	0 6
CATAWBIENSE vera ----- 1/ to	1 6	pleno -----	0 6
vulgare, 6 to 9 in., 4/ 100, 25/		SAXATILE -----	0 6
15 to 18 inches -- 75/		SPECIOSUM -----	1 0
DAHURICUM ----- 6d. to	5 0	TENUIFLORUM -----	0 6
atrovirens ----- 6d. to	5 0	ROBINIA HISPIDA (<i>Rose Acacia</i>)-- 1/ to	2 6
HIRSUTUM, of sorts ----- 6d. to	2 6	rosea fl. alba -----	5 0
PONTICUM (<i>for Game</i>)		grandiflora ---- 1/6 to	3 6
Covers, &c.), 4 } 4/ 100, 7/6		Gordoniana ---- 1/6 to	3 6
to 6 inches ----- }		PSEUDO-ACACIA, 6 to 10 feet 1/ to	3 6
6 to 9 inches ----- -- 15/		amorphæfolia, 3 to 4 feet -----	1 6
9 to 12 in., bushy -- -- 30/		Bessoniana ----- 2/6 to	3 6
12 to 15 in., do. -- -- 50/		crispa, 3 to 4 feet -----	2 6
18 to 24 in., } 4/ 100 75/ to 100/		Decaisneana -----	2 6
bushy -- }		fastigiata ----- 1/6 to	3 6
HYBRIDS, named } 4/ doz., 21/ to 42/		gigantea ----- 1/6 to	3 6
Sorts ----- }		gracilis -----	1 6
Do., 4/ 100, 150/ to 200/		inermis ----- 1/ to	5 0
For Species and Named Varieties, in-		macrophylla -----	2 6
cluding the newest introductions		microphylla ----- 1/6 to	3 6
in Hybrids, &c., see separate		monophylla ----- 3/6 to	7 6
Catalogue.		monstrosa ----- 2/6 to	7 6
RHODORA CANADENSIS -----	1 6	pendula ----- 3/6 to	7 6
RHUS (<i>Sumach</i>) AROMATICA -----	1 6	procera -----	1 6
COTINUS -----	1 6	spectabilis ----- 1/6 to	3 6
LEUCANTHA -----	2 6	stricta ----- 1/6 to	3 6
GLABRA -----	1 0	tortuosa ----- 1/6 to	3 6
RADICANS -----	1 6	umbraculifera ----- 3/6 to	5 0
SUCCEDANEA -----	1 0	UNIFLORA ----- 3/6 to	5 0
TOXICODENDRON -----	1 0	VISCOSA ----- 1/6 to	5 0
TYPHINA ----- 1/ to	2 6	ROSES. See SEPARATE CATALOGUE,	
VENENATA -----	2 6	and page 37.	
RIBES ALPINUM -----	0 6	ROSMARINUS OFFICINALIS -- 6d. to	1 0
AUREUM -----	0 9	variegatus -----	1 0
fragrans -----	1 0	RUBUS CÆSIUS (<i>Bramble</i>), 4/ 100, 10/	
BENTHAMII -----	1 0	FRUTICOSUS ----- 10/	
BACTONII -----	1 0	fl. pleno albo -----	0 6

	Each s. d.		Each s. d.	
RUBUS FRUTICOSUS fl. pleno rubra	0 9	SALIX DISCOLOR, 2 to 3 feet	1 0	Ornamental Trees and Shrubs
superba	0 9	DONNIANA, 1 to 2 feet	0 9	
laciniatus	1 6	DURA, 2 to 3 feet	1 0	
variegatus	2 6	ERIANTHA, 2 to 4 feet	1 0	
IDÆUS (<i>Raspberry</i>). See FRUIT TREE		FAGIFOLIA, 2 to 4 feet	1 0	
CATALOGUE, and p. 35.		FERRUGINEA, 2 to 4 feet	0 9	
LEUCODERMIS	1 6	FINMARCHICA, 2 to 4 feet	0 9	
NUTKANUS	1 6	FIRMA, 2 to 4 feet	1 6	
ODORATUS	0 6	FORBESIANA, 3 to 5 feet	1 0	
RUPESTRIS (<i>Himalayan Bramble</i>)	1 6	FOSTERIANA, 2 to 4 feet	0 6	
SPECTABILIS (<i>Salmon Berry</i>)	1 0	FRAGILIS	6d. to 1 0	
SUBERECTUS	1 6	FUSCA argentea	9d. to 1 6	
RUSCUS ACULEATUS (<i>Butcher's Broom</i>)	0 6	repens	6d. to 1 0	
rotundifolius	0 6	GRISONENSIS, 2 to 4 feet	1 0	
HYPOGLOSSUM	0 6	HASTATA, 3 varieties	0 9	
RACEMOSUS (<i>Alexandrian Laurel</i>)	1 0	HELIX, 2 to 4 feet	0 6	
RUTA GRAVEOLENS	1 6	HELVETICA, 2 to 4 feet	0 9	
SALIX (<i>Willow</i>). See p. 7.		HERBACEA	1 0	
ACUMINATA (<i>New Tree Wil-</i>)	1/ to 2 6	HETEROPHYLLA, 2 to 4 feet	0 9	
<i>low</i>		HYPOPHÆFOLIA, 2 to 4 feet	0 6	
ACUTIFOLIA (<i>violacea</i>)	6d. to 1 6	HIRTA, 2 to 4 feet	1 0	
ALATERNOIDES, 2 to 4 feet	1 0	HOFFMANNIANA, 2 to 4 feet	1 0	
ALBA pendula (<i>Bedford Weeping</i>)	1 0	HOLOSERICEA, 2 to 4 feet	0 9	
AMBIGUA, 1½ to 3 feet	0 6	INCANA, 2 to 4 feet	1 0	
ANMANIANA, 1 to 2 feet	0 9	JAPONICA, 2 to 4 feet	1 0	
AMYGDALINA, 2 to 3 feet	1 0	LACUSTRIS, 2 to 4 feet	0 9	
ANDERSONIANA, 2 to 4 feet	1 0	LAMBERTIANA, 3 to 5 feet	0 6	
ANNULARIS, 3 to 4 feet	1 6	LANATA, 1 foot	1 0	
ANSONIANA, 3 to 5 feet	1 0	LANCIFOLIA, 2 to 4 feet	1 0	
ANGUSTATA, 3 to 5 feet	1 0	LATIFOLIA, 2 to 4 feet	1 0	
ATROVIRENS, 2 to 4 feet	0 6	LAURINA, 2 to 4 feet	1 0	
AURITA, 4 varieties	0 6	LINEARIS, 1 to 2 feet	1 0	
AUSTRALIS, 2 to 4 feet	0 9	LUCIDA, 1 to 2 feet	1 0	
BABYLONICA, 2 to 6 feet	6d. to 1 0	MOLISSIMA, 1 to 2 feet	1 0	
BICOLOR	6d. to 1 0	MONSPELIENSIS, 2 to 4 feet	1 0	
BORRERIANA, 2 to 6 feet	1 0	MOSCHATA, 2 to 4 feet	1 0	
CÆSIA, 2 to 4 feet	0 6	MICRODENTATA, 2 to 4 feet	1 0	
CANESCENS, 2 to 3 feet	0 6	NIGRA, 2 to 4 feet	0 9	
CAPREA (<i>Palm Willow</i>)	6d. to 1 0	NIGRICANS, 2 to 4 feet	0 9	
pendula (<i>Kilmarnock</i>)	2/6 to 5 0	NERVOSA, 2 to 4 feet	1 0	
<i>Weeping Willow</i>		NITENS, 1 to 2 feet	1 0	
variegata	2 6	OBTUSERRATA, 3 to 5 feet	1 0	
CINEREA, 2 to 4 feet	0 6	PALLIDA, 2 to 4 feet	1 0	
CONFORMIS, 2 to 4 feet	0 6	PANNOSA, 2 to 4 feet	0 9	
CORDATA, 1 to 2 feet	1 0	PATENS, 1 to 3 feet	1 0	
COTINIFOLIA, 2 to 4 feet	0 9	PALESCENS, 2 to 4 feet	1 0	
CRASSIFOLIA, 2 to 6 feet	1 0	PENTANDRA, 2 to 6 feet	6d. to 1 6	
DAMASCENA, 2 to 4 feet	0 9	PETIOLARIS, 2 to 4 feet	0 9	
DAPHNOIDES, 3 to 6 feet	0 9	PETRÆA, 2 to 4 feet	0 9	
8 to 15 feet	1/6 to 5 0	POMERANICA, 2 to 4 feet	1 0	
DECIPIENS, 3 to 6 feet	6d. to 1 0	PONTEDERANA, 2 to 4 feet	0 9	
DICKSONIANA, 1 to 2 feet	1 0	PRINOIDES, 2 to 4 feet	1 0	

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
SALIX PRATENSIS, 2 to 3 feet-----	0 9	SAMBUCUS NIGRA rotundifolia 6d. to	1 6
PROCUMBENS -----	1 0	variegata argentea ----- 1/ to	1 6
PRUNIFOLIA, 2 to 3 feet -----	0 9	aurea ----- 6d. to	1 6
PURPUREA, 2 to 3 feet -----	0 6	PUBESCENS -----	1 0
pendula (<i>American Weep-</i>		RACEMOSA virescens ----- 6d. to	1 6
ing Willow), 6 to 10	1/6 to 2 1	SANTOLINA CHAMÆCY- } 4 th doz., 4/	
feet stems -----		PARISSUS -----	1 0
variegata -----	1 6	VIRIOIS -----	1 0
PYRIFOLIA, 2 to 3 feet -----	1 0	SEDUM POPULIFOLIUM -----	0 6
RAMIFUSCA, 2 to 3 feet -----	0 9	SHEPHERDIA ARGENTEA -----	1 6
REGALIS, 2 to 3 feet -----	1 6	CANAOENSIS -----	1 6
RECURVATA, 2 to 3 feet -----	1 0	SKIMMIA JAPONICA ----- 1/ to	2 6
RETICULATA -----	1 6	LAUREOLA -----	1 6
RIVULARIS, 2 to 4 feet -----	0 9	OBLATA ----- 7/6 to	2 1
ROSMARINIFOLIA, 1 to 2 feet -----	0 9	SMILAX ARISTATA -----	1 6
ROSTRATA, 2 to 4 feet -----	1 0	variegata -----	2 6
ROTUNDATA, 2 to 4 feet -----	0 9	ASPERA -----	1 6
RUBRA, 2 to 3 feet -----	0 6	mauritanica -----	1 6
RUPESTRIS, 2 to 4 feet -----	0 9	GLABRA, from Siberia -----	1 6
RUGOSA, 2 to 4 feet -----	0 9	LAURIFOLIA -----	0 9
SCHLEICHERIANA, 2 to 4 feet -----	1 0	ROTUNDFOLIA -----	1 6
SPATHULATA, 2 to 4 feet -----	1 0	SOLANUM CRISPUM -----	1 0
STREPTA, 2 to 4 feet -----	1 0	DULCAMARA -----	0 6
SEPTENTRIONALE, 2 to 4 feet -----	1 0	alba -----	0 6
STYLARIS, 3 to 5 feet -----	0 9	EUONYMOIDES -----	1 6
TENUIFOLIA, 2 to 3 feet -----	0 9	SOPHORA JAPONICA ----- 6d. to	1 6
TETRAFLA, 2 to 4 feet -----	0 9	variegata ----- 2/6 to	3 6
TRIANDRA, 2 to 4 feet -----	0 6	SPARTIUM (<i>Spanish Broom</i>) } 4 th doz., 2/6	
ULMIFOLIA, 2 to 4 feet -----	1 0	JUNCEUM, 1 to 2 ft. }	
UNOULATA, 2 to 4 feet -----	0 6	2 to 3 feet -----	0 6
ULIGINOSUM, 1 to 2 feet -----	1 0	fl. pleno -----	1 6
VAUOENSIS, 2 to 3 feet -----	1 0	SPIRÆA AOIANTIFOLIA -----	0 6
VALLESIA, 2 to 4 feet -----	1 0	ALNIFOLIA -----	0 6
VIMINALIS, 3 to 5 feet -----	0 6	ARIÆFOLIA -----	0 6
VIRESCENS, 2 to 4 feet -----	0 6	BACCATA -----	0 6
VITALINA, 2 to 4 feet, 4 th doz., 2/6		BELLA -----	1 0
6 to 10 feet ----- 1/6 to	3 6	carnea -----	0 6
aurantiaca, 2 to 3 feet -----	0 6	CALLOSA -----	0 6
WEIGELIANA -----	1 6	alba -----	0 6
100 Sorts, named (3 Cuttings of		CANA -----	1 6
each), for 50/		CRATÆGIFOLIA -----	0 6
150 Sorts, named (3 Cuttings of		DOUGLASHI -----	0 6
each), for 150/		FLEXUOSA -----	0 9
SALVIA OFFICINALIS -----	0 6	FORTUNII alba -----	1 0
SAMBUCUS (<i>Elder</i>)—		HYPERICIFOLIA -----	0 9
CANAOENSIS ----- 6d. to	1 0	INCARNATA -----	0 6
NIGRA. See COMMON ELDER, p. 5.		LINOLEYANA -----	0 6
fastigiata ----- 1/ to	2 6	NOBLEANA -----	1 0
heterophylla -----	1 0	NUTANS -----	0 6
laciniata ----- 6d. to	1 0	PRUNIFOLIA flore pleno -----	1 0
leucocarpa ----- 6d. to	1 0	REGELIANA -----	1 0
monstrosa ----- 6d. to	1 6	RHOMBIFOLIA -----	1 0

	Each s. d.		Each s. d.	
SPIRÆA SALICIFOLIA -----	0 6	SYRINGA VULGARIS, }		Ornamental Trees and Shrubs
alpestris -----	0 6	Fine Sorts in } £^s doz., 6/ to 24/		
carnea -----	0 6	mixture -----		
SORBIFOLIA -----	0 6	TAMARIX AFRICANA -----	0 6	
THALICTROIDES -----	0 9	GALLICA -----	0 6	
THUNBERGIANA -----	1 6	GERMANICA -----	0 6	
TOBOLSKIA -----	0 6	INDICA -----	1 6	
TRIOBATA -----	1 0	TILIA ALBA -----	2/6 to 5 0	
<i>Prices of the above Sorts £^s 100 or 1000 on application.</i>		AMERICANA -----	1/ to 2 6	
STANTONIA LATIFOLIA -----	1 6	heterophylla -----	2/6 to 3 6	
STAPHYLEA COLCHICA -----	1 0	pubescens -----	2/6 to 3 6	
PINNATA -----	1 0	CORDATA -----	2/6 to 5 0	
TRIFOLIATA -----	1 0	EUROPÆA (<i>Lime</i>). See page 6.		
STYRAX CALIFORNICA -----	5 0	asplenifolia -----	1 6	
SWAMMERDAMIA ANTENNARIA --	1 6	aurea -----	1/6 to 2 6	
SYMPHORICARPUS GLAUCUS -----	0 6	dasystyla -----	2/6 to 3 6	
MONTANUS -----	0 6	gigantea -----	2/6 to 5 0	
OCCIDENTALIS -----	1 0	grandifolia -----	2 6	
RACEMOSUS (<i>Snowberry</i>), £^s doz., 4/		aurea -----	2/6 to 5 0	
VULGARIS -----	0 6	heterophylla -----	1/6 to 3 6	
fol. variegatus -----	1 0	intermedia -----	2 6	
SYRINGA (<i>Lilac</i>) EMODI -----	1/ to 1 6	laciniata -----	2/6 to 5 0	
JOSIKÆA -----	1/ to 3 6	latifolia -----	1/6 to 3 6	
PERSICA -----	1/ to 2 6	maculata -----	1/6 to 2 6	
alba -----	1/ to 2 6	parvifolia -----	1/6 to 3 6	
laciniata -----	1/ to 1 6	pendula variegata aurea -----	10 6	
ROTHOMAGENSIS -----	1/ to 3 6	LEPTOPHYLLA -----	1/6 to 5 0	
VULGARIS (<i>Common Lilac</i>) --	6d. to 2 6	ULEX EUROPÆA (<i>Whin</i>). See p. 7.		
alba -----	6d. to 2 6	flore pleno, } £^s 100, 30/, 50/, to 75/		
Constantinopolitana --	1/6 to 3 6	in pots } -----		
variegata -----	1/ to 2 6	NANA -----	25/ to 50/	
cærulea -----	1/ to 3 6	STRICTA (<i>Irish Furze</i>) -----	1/ to 2 6	
Charles X. -----	1/ to 3 6	ULMUS (<i>Elm</i>) AMERICANA, 2 l		
coccinea -----	1/ to 3 6	to 12 feet -----	1/ to 5 0	
Duchesse de Nemours --	1/ to 3 6	pendula, 6 to 12 feet } -----	5/ to 10 6	
Dr Lindley -----	1/ to 5 0	stems } -----		
grandiflora -----	1/ to 3 6	CAMPESTRIS (<i>English Elm</i>). See p. 6.		
Louis Bonaparte -----	1/ to 2 6	grafted, 6 to 10 feet --	1/6 to 5 0	
Noisetiana -----	1/ to 3 6	betulæfolia, 4 feet -----	1 6	
purpurea -----	1/ to 3 6	cornubiensis, 2 to 8 feet --	1/ to 3 6	
rosea -----	1/ to 3 6	incisa, 5 feet -----	2 6	
grandiflora -----	1 0	microphylla, 3 to 6 feet --	2/6 to 5 0	
rubra -----	1/ to 3 6	monumentalis, 4 to 6 feet	2/6 to 5 0	
insignis -----	1 0	myrtifolia, 2 to 10 feet --	1/ to 7 6	
semi-plena -----	9d. to 2 6	nodosa, 2 to 4 feet -----	1/ to 2 6	
Siberica -----	1 0	pendula -----	3/6 to 10 6	
sinensis alba -----	1 0	plicata, 4 feet -----	1/ to 2 6	
spectabilis -----	1/6 to 3 6	tortuosa -----	1/ to 2 6	
Triomphe d'Orleans -----	1 0	variegata (<i>new</i>) -----	7 6	
violacea -----	1/ to 3 6	argentea, 2 to 6 } -----	1/6 to 5 0	
		feet } -----		
		viminalis, 2 to 4 feet --	1/6 to 2 6	

Ornamental
Trees and
Shrubs

	Each s. d.		Each s. d.
ULMUS EFFUSA, 3 to 5 feet -----	1 6	VIBURNUM OXYCOCCLUS -----	1 0
FULVA -----	2/6 to 3 6	PLICATUM -----	1/6 to 2 6
GLABRA, 4 to 6 feet -----	1/ to 1 6	PRUNIFOLIUM -----	6d. to 1 0
glomerata, 3 to 6 feet -----	1/ to 3 6	PYRIFOLIUM -----	6d. to 1 6
Scampstoniana, 4 to 5 feet -----	1 6	SUSPENSUM -----	1 6
vegata, 4 to 6 feet -----	1/ to 1 6	TINUS (<i>Laurestinus</i>), } $\mathfrak{d}$ doz., 6/	
viscosa, 4 to 6 feet -----	1/6 to 2 6	9 to 12 inches } -----	12/
KEAKI -----	5 0	15 to 18 inches --	18/
LANTANA -----	1/ to 2 6	18 to 24 inches --	12/
MAJOR, 3 to 6 feet -----	1/ to 1 6	hirta, 12 to 18 inches --	12/
MONTANA (<i>Wych Elm</i>). See p. 5.		lucida, 12 to } $\mathfrak{d}$ doz., 9/ to 12/	
asplenifolia, 2 to 6 feet --	1/6 to 2 6	18 inches --	
crispa, 4 to 6 feet -----	1/ to 3 6	variegata -----	1/ to 2 6
erecta (<i>Prestonhall Elm</i>),	1/6 to 2 6	TOWARDII -----	2 6
3 to 6 feet -----		VINCA (<i>Periwinkle</i>) } $\mathfrak{d}$ doz., 2/6	
fastigiata (<i>Coverstem Elm</i>),	1/ to 10 6	MAJOR -----	
3 to 12 feet -----		aurea reticulata --	3/6
pendula (<i>Camperdown</i>		variegata -----	6/
<i>Weeping Elm</i>), stems } 3/6 to 21 0		MINOR -----	2/6
6 to 10 feet -----		alba -----	2/6
pumila, 3 to 8 feet -----	1/6 to 7 6	cœrulea pleno -----	6/
purpurea, 3 to 10 feet --	1/6 to 21 0	rubra plena -----	6/
scabra, 3 to 6 feet -----	1/ to 2 6	variegata argentea --	2/6
latifolia, 3 to 6 feet -----	1/ to 2 6	aurea -----	2/6
variegata -----	3 6	VITEX AGNUS-CASTUS -----	1 0
SUBEROSA -----	1/ to 2 6	INCISA -----	1 0
erecta, 2 to 3 feet -----	1 6	VITIS ÆSTIVALIS -----	2 6
Several other Sorts -----	1/6 to 7 6	AMOORIENSIS -----	2 6
VACCINEUM BUXIFOLIUM -----	0 9	CORDIFOLIA -----	2 6
MYRTILLUS -----	0 6	HETEROPHYLLA variegata -----	2 6
ULIGINOSUM -----	1/ to 2 6	ISABELLA -----	2 6
VITIS Idæa -----	0 6	LABRUSCA -----	1 6
variegata -----	2 6	RIPARIA -----	1 6
VELLA PSEUDO-CYTISUS -----	1 0	SIEBOLDTII -----	2 6
VERONICA ANDERSONII -----	1 0	VULPINA -----	1 6
variegata -----	1 6	VINIFERA apiifolia -----	2 6
DECUSSATA -----	1 0	WEIGELIA AMABILIS -----	1/ to 1 6
FORMOSA -----	2 6	alba -----	1/ to 1 6
SALICIFOLIA -----	1 0	Grænewegenii -----	1 0
SPECIOSA -----	1 0	Isoline -----	1 0
hybrida -----	1 6	nivea multiflora -----	2 6
VESTIA LYCIOIDES, 1 to 2 feet -----	1 6	Stelznerii -----	1 6
VIBURNUM CYLINDRICUM -----	1 6	striata -----	1 0
LÆVIGATUM -----	1 0	Van Houtteii -----	1 0
LANTANA -----	1/ to 2 6	ROSEA -----	6d. to 1 6
aurea marginata -----	1/ to 2 6	Desboisii -----	1 6
variegata -----	2 6	nana variegata -----	1 6
MACROCEPHALUM -----	2/6 to 5 0	variegata argentea -----	1 6
OPULUS -----	6d. to 1 0	aurea -----	1 6
nana -----	0 6	flore pleno -----	1 6
sterilis (<i>Snowball or Guel-</i>	6d. to 2 6	XANTHORHIZA APIIFOLIA (<i>Yellow</i>	
<i>der Rose</i>) -----		Root) -----	1 6

Fruit Trees

	Each s. d.		Each s. d.
FILBERTS -----	1/ to 1 6	MULBERRIES -----	6d. to 3 6
BLACK CURRANTS ----- 1/ doz., 3/ to 6/		Standards -----	10/6 to 21 0
RED CURRANTS -----	3/ to 6/	CRANBERRIES -----	1 0
WHITE CURRANTS -----	3/ to 6/	SERVICE (<i>Sorbus domestica</i>) -----	1/6 to 2 6
GOOSEBERRIES -----	3/ to 9/	GUAVA, in Pots -----	2/6 to 7 6
RASPBERRIES -----	3/ to 9/	ORANGES and CITRONS, in Pots -----	3/6 to 42 0
QUINCES -----	1/6 to 3 0	PINE APPLES -----	5/ to 21 0
MEDLARS -----	1/6 to 3 6	EUGENIA UGNIA -----	1/6 to 3 6

7° Grape Vines.

From eyes, finely ripened and healthy, 1st size, 7/6 to 10/6 each

Do.	do.	2nd size -----	5/ —
Do.	do.	3rd size -----	3/6 —

Grape Vines

ABERCAIRNY	HAMBURGH BLACK WILMOT'S (<i>Dutch Ham-</i> <i>burgh</i>)
ALICANTE (<i>Lombardy Black Prince</i>)	LADY DOWNE'S SEEDLING
ALEPPO	MADRESFIELD COURT BLACK MUSCAT, 42/ each
BLACK CLUSTER (<i>Black Burgundy</i>)	MUSCADINE RED (<i>Chasselas Rouge</i>)
BLACK BARBAROSSA (<i>Brizzola, Rossea</i>)	ROYAL (<i>White or Chasselas Blanc</i>)
CATAWBA	PARSLEY-LEAVED (<i>Ciotat</i>)
CHASSELAS MUSQUE (<i>Muscat de Jesus</i>)	MUSCAT OF ALEXANDRIA
CHAVOUSH	BOWOOD
DUCHESS OF BUCCLEUCH	CANNON HALL
ESPERIONE (<i>Turner's Black, Aspirant Noir, &c.</i>)	ESCHOLATA
FOSTER'S SEEDLING	INGRAM'S HARDY PROLIFIC
FRANKENTHAL (<i>Welbeck Black Tripoli, Merrick's</i> <i>Victoria, Pope's Hamburgh, Victoria Ham-</i> <i>burgh</i>).	TROUVEREN
FRONTIGNAN, BLACK (<i>Muscat Noir</i>)	TYNNINGHAME
GRIZZLY (<i>Red Frontignan, Muscat Rouge</i>)	MRS PINCE'S BLACK, 10/6 to 21/ each
TROVEREN (<i>Muscat Troveren</i>)	ROYAL VINEYARD
WHITE (<i>White Constantia</i>)	ROYAL ASCOTT, 21/ and 42/ each
GOLDEN CHAMPION, 21/, 42/, to 63/ each	SWEET WATER, BUCKLAND'S
GRAHAM'S MUSCAT MUSCADINE	EARLY WHITE (<i>Malvoisia, &c.</i>)
HABSHEE	GROVE END (<i>Blanc Precoce de Keinz-</i> <i>heim</i>)
HAMBURGH BLACK	KNIGHT'S PROLIFIC
MILL HILL	RIVERS'S
CHAMPION (<i>Black Champion</i>)	SYRIAN WHITE (<i>Terra de la Promise</i>)
MUSCAT HAMBURGH, 21/ each	TOKAY CHARLESWORTH
JUDSON'S RICHMOND VILLA	TRENTHAM BLACK (<i>Muscat Noir d'Espagne</i>)
GOLDEN (<i>Busby's Stockwood Park</i>)	WEST'S ST PETER'S (<i>Money's St Peter's</i>)
MUSCAT	OLDACRE'S
WHITE (<i>White Lisbon, White Portugal</i>)	

&c., &c., &c.

9° Roses.

For details, see Descriptive Catalogue.

		Each s. d.			Each s. d.	
Moss, Dwarfs	1/ to	2 6	SANGUISORBIFOLIA, or BURNET	1/ to	1 6	Roses
Standards	2/6 to	3 6	AYRSHIRE, Dwarfs 8/ 4 ^p doz., or 40/ 4 ^p 100.			
PERPETUAL, Dwarfs	1/ to	5 6	BOURSAULT (<i>Rosa alpina</i>),			
Standards	2/6 to	7 6	Dwarfs	9d. to	1 0	
PROVENCE or CABBAGE, Dwarfs	1/ to	2 0	SCOTCH (<i>R. spinosissima</i>)	8/ 4 ^p doz., or	1 0	
Standards	1/6 to	2 6	BANKSIAN, in pots	1/6 to	2 6	
FRENCH (<i>Rosa gallica</i>), Dwarfs	6d. to	1 6	HYBRID CLIMBING, Dwarfs	9d. to	1 0	
Standards	1/6 to	2 6	EVERGREEN (<i>Rosa sempervirens</i>),			
HYBRID BOURBON, Dwarfs	1/ to	2 6	Dwarfs	9d. to	1 6	
Standards	1/6 to	3 6	MULTIFLORA, Dwarfs	6d. to	1 6	
HYBRID PERPETUAL, Dwarfs	1/ to	5 0	ISLE BOURBON, Dwarfs	1/ to	2 6	
Standards	2/ to	7 6	Standards	1/6 to	3 6	
HYBRID CHINESE, Dwarfs	1/ to	2 6	CHINESE or MONTHLY	1/ to	2 6	
Standards	1/6 to	2 6	PRAIRIE (<i>Rosa rubifolia</i>), Dwarfs	1/ to	1 6	
WHITE (<i>Rosa alba</i>), Dwarfs	1/ to	1 6	TEA-SCENTED CHINESE, Dwarfs	1/ to	1 6	
Standards	1/6 to	2 6	Standards	2/ to	3 6	
DAMASK, Dwarfs	9d. to	1 6	MINIATURE CHINESE or FAIRY,			
Standards	2/6 to	3 6	in pots	1/ to	2 6	
SWEET BRIAR, and its Hybrids,			NOISETTE, Dwarfs	1/6 to	3 6	
Dwarfs	1/ to	2 6	Standards	2/ to	3 6	
Standards	2/6 to	3 6	MACARTNEY, Dwarfs	1/ to	1 6	
AUSTRIAN BRIAR and DOUBLE			MUSK, Dwarfs	1/ to	1 6	
YELLOW, Dwarfs	9d. to	1 6	MICROPHYLLA or SMALL-LEAVED,			
Standards	2/ to	3 6	Dwarfs	1/ to	2 6	

Selection of Roses.

Sorts left to PETER LAWSON & SON.

100 DWARFS, Sorts, named, 1 of each, Autumnal	4 ^p 100, £5	5 0
50 " " 2 " " "	—	3 3 0
100 " " 1 " " Summer Sorts	—	2 10 0
100 " " fine Sorts in mixture	—	1 1 0
100 STANDARDS, named, fine	4 ^p 100, £7	10 0 to 10 0
50 " " " " " "	—	3 15 0 to 5 0 0
25 " " " " " "	—	2 0 0 to 2 10 0
12 " " " " " "	—	1 1 0 to 1 10 0

10° Culinary Plants and Roots.

Culinary Plants and Roots			s.	d.		s.	d.
ANGELICA	4½ doz.,	6/ to	9	0	ONION, Tree or Egyptian,	4½ doz.	2 6
ARTICHOKE, Globe	—	9/ to	12	0	OXALIS CRENATA (<i>Ocas of</i>	—	6 0
Green and Purple	—	—	6	0	the <i>Peruvian</i>) }	—	6 0
JERUSALEM, Yellow-rooted	—	—	4	0	Deppei	—	6 0
Common	bush.	—	7	6	PEA, Edible-rooted	—	9 0
ASPARAGUS, 1 year	100	—	3	6	PENNYROYAL	—	4 0
2 years	—	5/ to	7	6	PEPPERMINT	—	3 0
Extra strong, for forcing	—	10/6 to	15	0	RAMPION	—	4 0
BALM	doz.	—	3	0	RHUBARB, Early Red	—	6 0
BROCOLI, Early and Late sorts, 100,	1/ to	2	6		Giant	—	9 0
BRUSSELS SPROUTS	—	9d. to	1	6	Linnæus	—	6 0
BURNET	doz.	—	4	0	Scottish Champion	each	5 0
CABBAGE, Early and Late sorts, 100,	6d. to	1	0		Prince Albert	doz.	9 0
CAULIFLOWER, Early and	—	2/6 to	7	6	Monarch, <i>fine</i>	each	2 6
Late Sorts					Victoria	doz.	4 0
CELERY, of Sorts	—	2/6 to	5	0	a variety of other Sorts	—	6/ to 18 0
CHAMOMILE, Common	doz.	—	3	0	ROCAMBOLE	lb.	2 6
Double Flowering	—	—	4	0	ROSEMARY	doz.	6 0
CHIVES	clump	—	0	6	RUE	—	4 0
DIOSCOREA BATATAS (<i>Fa-</i>	doz.	6/ to	12	0	SAGE	—	3 0
<i>pin Yam</i>)					SAVORY, Winter	—	3 0
other sorts of Yam	each	1/ to	5	0	SAVOY, of Sorts	100, 6d. to	1 0
FENNEL, Common	doz.	—	3	0	SEA-KALE, 1 year	—	5 0
Sweet	—	—	4	0	2 years, strong	—	7 6
FEVERFEW	—	—	3	0	extra strong for forcing	—	15 0
GARLIC	lb	—	1	0	SHALLOT, Common	lb.	1 6
GERMAN GREENS, of Sorts	100, 6d. to	1	0		SORREL, Common	doz.	3 0
GUNNERA SCABRA	each, 2/6 to	5	0		Large	—	4 0
HOREHOUND	doz.	—	3	0	SOUTHERNWOOD	—	4 0
HORSE-RADISH	—	—	3	0	TANSY, Common	—	2 6
HYSSOP	—	—	4	0	Curled	—	3 0
KOHL-RABI, of Sorts	100, 1/ to	2	6		TARRAGON	—	6 0
LAVENDER	doz.	4/ to	6	0	THYME, Common	—	4 0
LEEKs	100,	—	1	6	Variegated-leaved	—	6 0
LOVAGE	doz.	—	9	0	Lemon	—	4 0
MARJORAM, Pot	—	—	2	0	SWEET POTATO, of Sorts	each	1 6
Wild or Common	—	—	2	0	TROPÆOLUM TUBEROSUM,	—	1 0
MINT, Pepper	—	—	3	0	Edible-rooted Nastur-		
Spear	—	—	3	0	tium, or Indian Cress	—	—
ONION, Pearl	100,	—	5	0	WORMWOOD	doz.	3 0
Potato	lb.	—	0	9	&c.	&c.	&c.

11° Miscellaneous Ornamental and Useful Plants for Game Coverts, Woodlands, Shrubberies, &c.

Also, many strong growing Sorts of Herbaceous Plants. For large quantities, prices 4*ƒ* 100, or 1000 on application.

Miscellaneous
Ornamental
and Useful
Plants

PAMPAS GRASS
SAND LYME GRASS
RIBBON GRASS
TUSSAC GRASS
CAREX PENDULA
TUSSILAGA FARFARA variegata
AMPELOPSIS, of Sorts
BERBERIS, of Sorts
BAY LAUREL
PORTUGAL LAUREL
COLCHIC LAUREL
COTONEASTER, of Sorts
&c.

CORNUS, of Sorts
CYTISUS ALBUS (*Portugal Broom*)
SCOPARIUS (*Common Broom*)
DEUTZIA, of Sorts
LEYCESTERIA FORMOSA
LIGUSTRUM VULGARE (*Common Privet*)
MAHONIA AQUIFOLIA
PHILADELPHUS, of Sorts
RHODODENDRON PONTICUM
RIBES, of Sorts
RUBUS (*Bramble*), of Sorts
&c.

SAMBUCUS (*Elder*), of Sorts
SNOWBERRY
SPIRÆA, of Sorts
ULEX EUROPÆA (*Common Whin*)
fl. pleno (*Double Whin*)
NANA
VIBURNUM OPULUS STERILIS
(*Snowball or Guelder Rose*)
TINUS (*Laurustinus*)
VINCA, of Sorts
WEIGELIA ROSEA
&c.

* * * For General Collections of FRUIT TREES, FLORIST FLOWERS, ROSES, RHODODENDRONS, STOVE and GREENHOUSE PLANTS, FERNS, &c., see separate Catalogues.





Index of Trees and Shrubs.

Index

	Page		Page		Page		Page
Abelia	15	Bambusa	17	Cestrum	20	Dirca	22
Abies	8, 9	Beech	5, 17, 23	Chamæcyparis	9, 10	Dogwood	22
Acacia	5, 15, 30	Benthamia	17	Chamæbatia	20		
Acer	15	Berberidopsis	17	Chenopodium	20	Edwardsia	22
Æsculus	16	Berberis	17, 26	Cherry	7, 19	Elæagnus	22
Ailantus	16	Betula	17	Chestnut, Horse	5	Elder	6, 22, 32
Akebia	16	Bignonia	18	Spanish	5	Elm, English	5, 6
Alaternus	16	Biota	9	Chimonanthus	20	Scotch	5
Alder, Common	5	Birch, Common	5	Chionanthus	20	Empetrum	22
Hoary-leaved	5	Weeping	5	Cistus	20	Epigæa	22
Almond	7, 16	Boxwood	18	Clematis	20	Erica	22
Alnus	5, 16	Bramble	18, 30	Clethra	20	Eriobotrya	22
Amelanchier	16	Briar, Sweet	5	Coccoloba	20	Escallonia	22
Amorpha	16	Dog	5	Colletia	20	Eugenia	22
Ampelopsis	16	Broom	5, 22	Colutea	20	Euonymus	23
Amygdalis	16	Broussonetia	18	Comptonia	20	Eurya	23
Amygdalopsis	16	Bryanthus	18	Corchorus	20	Eurybia	23
Anagyris	16	Buckthorn	5	Coriaria	20	Fabiana	23
Andromeda	16	Buddlea	18	Cornus	20	Fagus	23
Anona	16	Bupleurum	18	Coronilla	20	Filbert	21
Apple	7, 28	Buxus	18	Corylopsis	20	Fir	4
Apricot	7, 17			Corylus	21	Fitz-Roya	10
Aralia	16	Callitris	9	Cotoneaster	21	Fontanesia	23
Araucaria	9	Calluna	18	Crabowskia	21	Forsythia	23
Arbutus	16	Calophaca	18	Cratægus	21	nothergilla	23
Arctostaphylos	17	Calycanthus	18	Cranberry	27	Fraxinus	23
Aristolochia	17	Caprifolium	18, 26	Cryptomeria	10	Frenella	10
Aristotelia	17	Caragana	18	Cunninghamia	10		
Armeniaca	17	Carpinus	18	Cupressus	10	Garrya	23
Artemisia	17	Carya	18	Curran	21	Gaultheria	24
Arthrotaxus	9	Castanea	19	Cydonia	21	Gean	7
Arundo	17	Catalpa	19	Cytisus	22	Genista	24
Ash	5, 17, 23	Ceanothus	19			Gleditschia	24
Mountain	5	Cedrus	9	Dacrydium	10	Glycine	24
Aster	17	Celastrus	19	Dammara	10	Grislinia	24
Astragalus	17	Celtis	19	Daphne	22	Guelder Rose	24
Atragea	17	Cephalanthus	19	Desfontainia	22	Gurya	24
Aucuba	17	Cephalotaxus	9	Deutzia	22	Gymnocladus	24
Azalea	17	Cerasus	19	Diervilla	22		
Azara	17	Cercis	19	Diospyros	22	Halesia	24

	Page		Page		Page		Page		Page
Hamamelis	24	Mahonia	26	Platanus	28	Solanum	32	Index.	
Hazel	0	Maple	6, 15, 27	Plum	8, 28	Sophora	32		
Heath	18, 22, 24	Margyrocarpus	26	Podocarpus	13	Spartium	32		
Hedera	24	Maximowiczia	27	Polygala	28	Spiræa	32		
Helianthemum	24	Medlar	16, 27	Poplar	6, 28	Stantonia	33		
Hibiscus	24	Menziesia	27	Populus	28	Staphylea	33		
Hippophæa	24	Mespilus	27	Potentilla	28	Styrax	33		
Holly	6, 24, 25	Mitchellia	27	Prinos	28	Swammerdamia	33		
Honeysuckle, 18,		Mitraria	27	Privet	6, 26	Sycamore	7, 15		
24, 26		Morus	27	Prumnopitys	13	Symphoricarpus	33		
Hornbeam	6	Mulberry	27	Prunus	28	Syringa	33		
Hydrangea	24	Myrica	27	Pseudo-Larix	13				
Hypericum	24	Myrtus (<i>Myrtle</i>)	27	Ptelea	28	Tamarix	33		
Hyssopus (<i>Hyssop</i>)	24	Negundo	27	Pterocarya	28	Taxodium	14		
		Neillia	27	Punica (<i>Pome-</i>		Taxus	14		
Ilex	24, 25	Nuttallia	27	<i>granate</i>)	28	Thorn	7, 21		
Indigofera	25	Nyssa	27	Pyrus	21, 28	Thuja	14		
Ivy	25			Quince	8	Thujopsis	15		
		Oak	6, 29	Quercus	29	Tilia	33		
Jasminum	25	Olea	27			Torreya	15		
Juglans	26	Ononis	27	Raphiolepis	29	Ulex	33		
Juniperus	10, 11	Osmanthus	27	Retinospora	13	Ulmus	33		
		Ostrya	27	Rhamnus	30				
Kalmia	26	Oxycoccus	27	Rhododendron	30	Vaccinium	34		
Kolreuteria	26			Rhodora	30	Vella	34		
		Pæonia	27	Rhus (<i>Sumach</i>)	29, 30	Veronica	34		
Laburnum	6, 22	Paliurus	27	Ribes	30	Vestia	34		
Læchardia	11	Passiflora	27	Robinia	30	Viburnum	34		
Larch	4, 11	Paulownia	27	Rosmarinus (<i>Rose-</i>		Vinca	34		
Lardizabella	26	Pavis	27	<i>mary</i>)	30	Virginian Creeper	16		
Larix	11	Peach	8, 16	Rubus	30	Vitex	34		
Laurel	19, 26, 30	Pear	8, 28	Ruscus	31	Vitis	34		
Laurestinus	26, 34	Periploca	27	Renta	31				
Laurus	26	Periwinkle	27			Walnut	7		
Lavender	26	Pernettya	27	Salisburia	13	Weigelia	34		
Lavendula	26	Philadelphus	27	Salix	31, 32	Wellingtonia	15		
Ledum	26	Phllesia	27	Sambucus	32	Whin	7, 33		
Leycesteria	26	Phillyrea	27	Santolina	32	Widdringtonia	15		
Libocedrus	11	Phlomis	28	Saxe-Gothæa	13	Willow	7		
Ligustrum	26	Phormium	28	Sciadopitys	14	Wisteria	24		
Lilac	33	Photinia	28	Sedum	32				
Lime	6, 33	Phyllocladus	11	Sequoia	14	Xanthorhiza	34		
Liquidamber	26	Picea	12	Service	7	Xanthoxylon	35		
Liriodendron	26	Fine	3, 4	Shepherdia	32				
Lonicera	18, 26	Pinus	12, 13	Skimmia	32	Yew	4, 14		
Lupinus	26	Piptanthus	28	Sloe	7	Yucca	35		
Lycium	26	Pistacia	28	Smilax	32				
		Pittisporum	28	Snowberry	33	Zizyphus	35		
Maclura	26	Planera	28						
Magnolia	26								

A Table for Planters,

Shewing the Number of Trees required per Imperial, Scottish, and Irish Acres, from 1 to 30 feet distance between each Plant.

IMPERIAL ACRE.				SCOTTISH ACRE.				IRISH ACRE.			
Distance.	Number.	Distance.	Number.	Distance.	Number.	Distance.	Number.	Distance.	Number.	Distance.	Number.
1	43,560	12	302	1	54,760	12	380	1	70,560	12	490
1½	19,360	12½	270	1½	24,338	12½	350	1½	31,360	12½	452
2	10,890	13	257	2	13,690	13	324	2	17,640	13	417
2½	6,970	13½	239	2½	8,761	13½	300	2½	11,209	13½	385
3	4,840	14	222	3	6,084	14	279	3	7,840	14	360
3½	3,556	14½	207	3½	4,470	14½	260	3½	5,760	14½	335
4	2,722	15	193	4	3,422	15	243	4	4,410	15	316
4½	2,151	15½	181	4½	2,704	15½	228	4½	3,484	15½	292
5	1,742	16	170	5	2,190	16	214	5	2,822	16	275
5½	1,440	16½	164	5½	1,810	16½	201	5½	2,332	16½	260
6	1,210	17	150	6	1,521	17	189	6	1,960	17	244
6½	1,031	17½	142	6½	1,296	17½	178	6½	1,670	17½	234
7	889	18	134	7	1,117	18	169	7	1,440	18	217
7½	774	18½	127	7½	973	18½	160	7½	1,254	18½	206
8	680	19	120	8	855	19	151	8	1,102	19	195
8½	603	19½	114	8½	758	19½	143	8½	976	19½	185
9	537	20	108	9	675	20	137	9	871	20	176
9½	482	22	90	9½	606	22	113	9½	782	22	146
10	435	24	75	10	547	24	95	10	705	24	123
10½	395	26	64	10½	496	26	81	10½	640	26	105
11	360	28	55	11	452	28	70	11	583	28	90
11½	329	30	48	11½	414	30	60	11½	533	30	79

The following NURSERY CATALOGUES may be had *free* on application:

GREENHOUSE and STOVE PLANTS.

HERBACEOUS PLANTS, including ALPINES, FERNS, GREENHOUSE, STOVE,
and HARDY FLORISTS FLOWERS, and BEDDING-OUT PLANTS.

RHODODENDRONS and AZALEAS.

ROSES, STRAWBERRIES.

FRUIT TREES—Descriptive, in Three Parts, price 2/6. Gratis to Customers.

